

# **Product Specification**

The product described in this document has not been fully tested to ensure conformance to the requirements outlined below. Therefore, TE Connectivity (TE) makes no representation or warranty, express or implied, that the product will comply with these requirements. Further, TE may change these requirements based on the results of additional testing and evaluation. Contact TE Engineering for further details.

#### MQS/ MCP 6.3K HYBRID 26P PLUG ASS'Y

### 1. SCOPE

#### 1.1. Content

This specification covers the requirements for product performance, test methods and quality assurance provisions of MQS/ MCP 6.3K HYBRID 26P PLUG ASS'Y

#### 1.2. Qualification

When tests are performed on the subject product line, procedures specified shall be used. All inspections shall be performed using the applicable inspection plan and product drawing.

#### 1.3. Qualification Test Results

Successful qualification testing on the subject product line has not been completed. The Qualification Test Report number will be issued upon successful qualification testing.

## 2. APPLICABLE DOCUMENTS AND FORMS

The following documents and forms constitute a part of this specification to the extent specified herein. Unless otherwise indicated, the latest edition of the document applies.

#### 2.1. TE Documents

1743704: Customer Drawing (MQS/ MCP 6.3K HYBRID 26P PLUG ASS'Y)

### 3. REQUIREMENTS

#### 3.1. Design and Construction

Product shall be of the design, construction, materials and physical dimensions specified on the applicable product drawing.

### 3.2. Ratings

Voltage	Temperature	Humidity
12V DC	25±5℃	60±20%

### 3.3. Test Requirements and Procedures Summary

Unless otherwise specified, all tests shall be performed at ambient environmental conditions.

TEST DESCRIPTION	REQUIREMENT	PROCEDURE	
Appearance	No crack, damage, distortion are permitted	Using sense of sight and touch.	



CONN engage and disengage force	Max 15 kgf and less	Measure force by inserting and disengaging the connector with terminal assembled at constant 50 mm/min speed. However, remove lock part when measuring disengage force.		
Reverse insertion between housings	It shall not be incorrectly inserted by applying force of 20kgf.	Insert the housing with terminal by pushing it in reverse direction with applying 20kgf.		
Reverse insertion between terminal and housing	5kgf or more	Crimp cable of maximum size on terminal and then, insert it into housing by the end of insulation.		
Engage force between terminal and housing	1.5kgf or less	As shown in the following figure 4-1, measure the weight while inserting terminal into fixed housing at 50mm/min speed.  Terminal Housing Figure 4-1>		
Strength of HSG lock	Min 10kgf or less	Combine housing only, fix the one side of housing in completely locked condition, and extend the other side in axial direction and 30 angle direction at a constant speed of 50mm/min. Then measure weight when lock structure is disengaged or destroyed.		
HSG lock releasing force	Apply force (F) to lock releasing part, and measure weighthe point of A=0. However, cut connector and then perfortest at the section in order to secure visibility.  Max 6kgf  A  A  Figure 5-2>			
Terminal retention force	MQS Min 6kgf 6.3mm Min 10kgf	Fix the housing after inserting crimped terminals. Extend one line of cable in axial direction at a speed of 50mm/min at a position 50~100mm away from crimped part, and measure weight when terminal is disengaged from the housing.		
Voltage Drop	MQS Max 10 mV/A 6.3mm Max 3 mV/A	Measure the circuit voltage drop (V) by sending voltage and current described in the table 5-1 with terminal combined on the connector. Then calculate a voltage drop (VD) in terminal by subtracting cable resistance (L) from the circuit voltage drop (V).  1)HARNESS versus UNIT:VD =V(L3+L4)  Application Open voltage Short circuit current Division Signal circuit 20 ± 5 mV 10 mA ECU, Sensor Power circuit 13 V 1 A Other than the above <table 5-1=""></table>		
Insulation resistance	Min 250 MΩ	Measure resistance between neighbor terminals (figure 5-6), and between terminal and housing surface (figure 5-7) with DC 500V insulation resistance gauge with connector		

Rev.A 2 of 5



				combined.
				DC 500V Insulation resistance gauge resistance gauge
				<figure 5-6:="" between="" neighboring="" terminals=""> <figure 5-7:="" and="" between="" housing="" neighboring="" surface="" terminal=""></figure></figure>
High voltage test	No allowed insulation breakdown			Measured by applying test potential of 1000 V AC between the adjacent contact between the contact and housing.
Twisting Test - Connector	Appearance	No crack, damage, distortion are permitted		Apply 8kgf force on the end part of combined connector 10 times each in the (front, rear, left, right) directions perpendicular to axial direction.
Engage and Disengage Endurance Test		s Max 20 mV/A m Max 10 mV/A		Make combine connectors engage and disengage at 100mm/min. Perform it 50 times.  (Do not use locking device)
	Appearance disto		, damage, ion are nitted	Engage and disengage connector with terminal assembled 10 times with hands, and leave it in temperature chamber of -40°C for 120 hours. Make
	Voltage Drop	Max 10mV/A		connector engaged and disengaged 5 times immediately, and drop it onto the concrete surface from 1m height 3 times in the
Cold temperature test	Insulation Resistance	Non- Sealed CONN'R:	Between terminals housing	direction of figure 6-1. (Voltage drop & Temperature rise test perform at normal temperature) :
		Min 100 MΩ	surface	
	Current Leakage	Max 100 μA		<pre>Figure 6-1&gt;</pre>
	Temperature Rise	Max 40°C		
Cold and hot	Appearance	No crack, damage, distortion are permitted		Engage and disengage Connector with terminal assembled 10 times with hands, this repeats 200 CYCLE by below test condition. (Sealed: 120°C, Non-Sealed: 80°C)
	Voltage Drop	MQS Max 20mV/A 6.3mm Max 10mV/A		Nomal temperature
High temperature	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and leave it in combined state at the temperature chamber of the table 6-1 for 300 hours. Then pick it out and leave it until it returns to normal temperature.
test	Voltage Drop	MQS Max 20mV/A 6.3mm Max 10mV/A		Detail refer ES91500-00(EES80115)
Temperature Humidity Test	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and leave it at 25°C ambient temperature and 65% relative humidity for 25 hours. And perform 5 cycles of the method specified in figure 6-3

Rev.A 3 of 5



				Detail refer ES91500-00(EES80115)	
	Voltage Drop	MQS Max 20mV/A 6.3mm Max 10mV/A			
	Insulation Resistance	Min 100 ™Ω	housing surface		
	Current Leakage	Max	100 <i>#</i> A		
Dust Test	Voltage Drop	MQS Max 20mV/A 6.3mm Max 10mV/A		Engage and disengage connector with terminal assembled 10 times with hands, and diffuse 1.5kg Portland cement(JIS R5210) with fan (or others) for 10 seconds per 15 minutes while maintaining 150mm distance from wall in the closed container of 900~1200mm length, width and height, with connector combined. After 1 hour, measure it.	
	Appearance	No crack, damage, distortion are permitted		Make combined connectors engaged and disengaged 10 times k hands, and leave it in combined state at 120 °C ambient tempera for 40 minutes and then spray water of normal temperature for 2	
Waterproof Test	Insulation Resistance	Min 100 ΜΩ	housing surface	minutes according to S2 of JIS D0203. Repeat 48 cycles of this.  * JIS D0203 S2 condition: attach specimen at 400mm distance the waterproof pipe with water spray hole or water discharge hole and rotate waterproof pipe 23 times per minute around the axis.	
	Current Leakage	Max 100 #A		and rotate waterproof pipe 25 times per minute around the axis.	
Oil and	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and perform test each sample with connector combined.  A. Immerge connector in combined state for 2 hours in mixed oil of 50± 2°C ENG oil (SAE10W) or equivalent oil and  B. Immerge connector in combined state for 1 hour in car gasoline (JIS K2202) at normal temperature, and then pick it out.	
liquid test  Voltage MQS Max Drop 6.3mm Ma			C. Immerge connector in combined state for 1 hour in brake liquid (pure product) at normal temperature, and then pick it out.  D. Immerge connector in combined state for 1 hour in 100% washer liquid (pure product) at normal temperature, and then pick it out.  E. Immerge connector in combined state for 1 hour in 50% LLC (Long life coolant) at normal temperature, and then pick it out.		
Ozone Test	Appearance	No crack, damage, distortion are permitted		Engage and disengage Connector with terminal assembled 10 times with hands, and samples keep at 40°C and 50±5pphm Ozone for 100hour. Then pick connector out of chamber and	
	Voltage Drop		0mV/A	dry it for 2hours or more.	
Sulfur (SO2) gas test	Appearance	No crack, damage, distortion are permitted MQS Max 20mV/A 6.3mm Max 10mV/A		Engage and disengage connector with terminal assembled 10 times with hands, and expose it in combined state to sulfur gas of 40±3°C, density 10ppm, humidity 90~95%, for 24 hours.  Then pick connector out of chamber and dry it for 2 hours or more.	
gas 1631	Voltage Drop				

Rev.A 4 of 5



	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and pout it in 35°C temperature regulation chamber, spray 5% salty water for 24 hours according to JIS Z2371, and, maintain room temperature without spray for 1 hour, Then repeat this four times. Then pick connector out of chamber and dry it at room temperature for 2 hours or more.	
Salt water test	Voltage Drop	MQS Max 20mV/A 6.3mm Max 10mV/A			
	Insulation Resistance	<b>Min 100</b> MΩ	Between terminals housing surface		
	Current Leakage	Max 100#A			
	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and leave it in combined state in the temperature chamber of 120°C or 80°C (follows table 7) for 48	
	Crimp	0.3SQ (110)	Min 6kgf	hours.  And then perform the following vibration test. Then measure instant short circuit according to the method of clause 4.16 for	
		2.5SQ (110)	Min 25kgf	4 hours for X, Y, Z each Division	Condition
Complex environment	Tensile Strength	0.5SQ	Min	Ambient temperature/humidity	80℃, 90~95%
endurance test		(250) 2.5SQ	9kgf Min	Applied current  Current application	Basic current (Connector electrodes in series.) 120 CYCLE (45 minutes-ON, 15
		(250)	25kgf	cycle Vibration	minutes-OFF)
	Voltage	Max 10mV/A		acceleration	4.4g
	Drop	Max 40°C		Frequency	20Hz ~ 200Hz (sweep time: 3 minutes or less)
	Temperature Rise			Vibration time	40 hours for X, Y, Z each
	Instant short circuit	Max 10μs		Connector attaching method	Test mode A, B, C

All test should be refer ES91500-00

Sealing function should be tested according to ES91500-00

# 3.4. Applied Part No List

TE Part no	Description
1743704	MQS/MCP 6.3K HYBRID 26P PLUG ASS'Y

Rev.A **5** of 5