

4563.0 TS 35x7,5 Stahl GL/verzinkt



DIN rail, slotted, Width: 35 mm, Height: 7.5 mm, Material: Steel, Colour: natural

Business data

Article number	<u>4563.0</u>
Article name	TS 35x7,5 Stahl GL/verzinkt
GTIN (EAN)	4044211116699
Packaging unit	40
Quantity unit	M
Weight per piece (not including packaging)	311.5 g
Weight per piece (including packaging)	311.5 g
Unit of weight	G
Customs number	72166190
Country of origin	DE
Product description	DIN rail
Colour	Natural

4563.0 TS 35x7,5 Stahl GL/verzinkt

Technical data

Dimensions

Length	2000 mm
Hole length	18 mm
Width	35 mm
Hole width	5.2
Height	7.5 mm
Hole spacing (mid-point to mid-point)	25 mm
Thickness	1 mm
Shape of hole	Slotted hole
Slotted hole	✓
Slotted	✓

Ratings

Max. short-circuit current	1.92 kA
Max. allowed thermal rated current with PEN function	The usage of protective earth steel busbars is not permitted for PEN functionality! A
Short-circuit resistance I _p	16 kA

Materials

Material	Steel
Surface	Galvanized

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-01-17
REACH Candidate Substance Note	No
RoHS Conform	yes

4563.0 TS 35x7,5 Stahl GL/verzinkt

Approvals



Standards and regulations

Standards / specifications	DIN EN 60715
----------------------------	--------------

VDE approval

VDE approval	Acc. DIN VDE 0611-3
--------------	---------------------

Media



Accessories
