




MT15:16:20-ALK-M6-25

Ruland Adjustable Lever Clamping Kit, Lever Length 45mm, Stud Thread M6, Zinc Lever With Plastic Coating, Stainless Steel Inserts





Description

Ruland MT15:16:20-ALK-M6-25 is an adjustable lever clamping kit with an M6 thread, 25mm sleeve and stud length, 45mm lever length, and 35mm overall height. It is designed to fit with Ruland modular mounting system components that begin with MT15:16:20-ALK-M6-25. The lever is zinc die-cast with a plastic coating and the inserts are stainless steel for durability and corrosion resistance. MT15:16:20-ALK-M6-25 replaces standard hardware in clamping components allowing for rapid fine repositioning of connectors and tubes for increased operator efficiency. It is commonly used an accessory in mounting systems for screens, sensors, reflectors, plexiglass machine guards, and other components. MT15:16:20-ALK-M6-25 is manufactured by Otto Ganter, inventoried by Ruland, and RoHS3 compliant.

P	rc	od	u	C.	t	S	p	е	C	if	ij	C	a	ti	io	r	15	ò

Lever Length L1	45 mm	Overall Height H1	35 mm			
Hub Height H2	24.5 mm	Sleeve & Stud Length L3	25 mm			
Sleeve Length L2	6.5 mm	Sleeve Diameter D1	10.5 mm			
Thread (TH)	M6	Thread Length	18.5 mm			
Thread Pitch	1 mm	Handle Material	Zinc			
Insert and Screw Material	303 Stainless Steel	Weight (lbs)	0.110200			
Manufacturer	JW Winco/ Otto Ganter	UPC	634529238103			
Country of Origin	Germany	Tariff Code	8487.90.0080			
UNSPC	31162908					
Note 1	te 1 Performance ratings are for guidance only. The user must determine suitability for a part					
Prop 65	(metallic), known to the State		g Soots, Benzene, Lead, and Nickel ead and Benzene known to the State of nore information go			