



Switchable cross-connection, No. of poles: 2, Mounting type: Can be screwed on, Rated current: 24 A; Colour: natural

Business data

| 2008.0 |
|-----------------------------|
| QL 2 |
| 4044211048112 |
| 50 |
| PC |
| 0.41 g |
| 0.42 g |
| G |
| 85389099 |
| EU |
| Switchable cross-connection |
| Natural |
| |

Data sheet





| Technical data | | |
|----------------------------------|------------|--|
| Dimensions | | |
| Pitch size | 6 mm | |
| Ratings | | |
| Rated current | 24 A | |
| Contamination degree | 3 | |
| Connection data | | |
| No. of poles | 2 | |
| Screw head | Slotted | |
| Screw threading | M 3 | |
| Tightening torque, min. | 0.5 Nm | |
| Tightening torque, max. | 1 Nm | |
| Further technical data | | |
| Mounting type | Screwable | |
| Environmental Product Compliance | | |
| REACH Conform | yes | |
| REACH Reference date | 2023-01-17 | |
| REACH Candidate Substance Note | No | |
| RoHS Conform | yes | |

Data sheet

2008.0 QL 2



Media

Data sheet





Accessories

Mounting screw



Mounting screw, M 3, Colour: natural

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 2010.0 | BS M 3x25 | 4044211048136 | 100 ST |

Screwdriver

Screwdriver with bare blade, Colour: Black-grey



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1086.0 | SDB 0,6x3,5 | 4044211014797 | 1 ST |

Connecting sleeve



Connecting sleeve, Colour: natural

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 2009.0 | VH 19 | 4044211048129 | 100 ST |