



2048238001


PER PORT




MOLEX P/N	#OF REAR LEGS PER PORT	MOLEX P/
2048238002	0	204823800



MOLEX P/N	HEVICIVIK	#OF REAR LEGS
IVIOLEX P/IN	HEATSINK	PER PORT
2048238003	PCI	0



MOLEX P/N	HEATSINK	#OF REAR LEGS PER PORT			
2048238101	PCI	0			





	MOLEX P/N		#OF REAR LEG			
		HEAT SINK	PER PORT			
	2048238201	PCI	0			


					(ELECTRONIC TEC	CHNC	DLOGIES, LLC AND SH	OULD NOT BE U	JSED WIT	THOUT WR	ITTEN PER	RMISSI	
DIMENSION UNITS		CONNEN	CURRENT REV DESC:										
mm	2.5:	1						no		X			
GENERAL TOLERANCES (UNLESS SPECIFIED)		-						<del>-</del>					
ANGULAR TOL		EC NO:				S			CAGE ASSY, PCI V TYPE, 0 REAR LEG			•	
4 PLACES	±		ASYAMIP TKUMAR		2019/10/23 2019/10/24		OPTIONS						
3 PLACES	±	APPR:	JCHIANG	_	2019/10/24								
2 PLACES				2019/10/24	T RODOOT GOOTOWER DIVAVIING					I = =: :: a			
1 PLACE	PLACE ± 0.25		TKUMAR		2018/09/27			20004				REVIS	
0 PLACES	±	APPR:	RCHEN0	8	2018/12/04		204823	38001		PSD	ASY		
DRAFT WHERE	APPLICABLE	THIRD ANGL	E PROJECTION	DRAWING	SERIES	MAT	ERIAL NUMBER	CUSTOMER		•	SHEET I	NUMBE	
MUST RE WITHIN DIMI				C-SIZE	204823	S	SEE SHEET 3				3 O	F 10	
5			4		3	,	2				1		


 DOCUMENT STATUS
 P1
 RELEASE DATE
 2019/10/24
 11:52:29


 FORMAT: masker@p-pod-C REVISION.H
 12
 11
 10














REV DATE DESCRIPTIONS 2018/12/03 | INITIAL RELEASE Α 2019/01/14 | SHEET 1 : B4 : DATE CODE NATE IS UPDATED WITH LASER MARKING OPTION. В SHEET 6: ADDED A SHEET TO SHOW "KEEP OUT AREA FOR INSERTION/EXTRACTION TOOL". 2019/03/25 | SHEET 1 : DELEATED 2048238003 P/N VIEWS AND 2048238201 VIEWS ARE SHOWN B2: ADDED P/N TABLE. C8: ADDED DIMENSION 14.80 MAX. C8: ADDED DIMENSION DIM "A" D5: ADDED DIMENSION 72.35 D5: ADDED DIMENSION 64.45 SHEET 3: C11: ADDED P/N 2048238101 C07: ADDED P/N 2048238201 SHEET 4: F04: ADDED DIMENSION Ø1.55 REF. SHEET 8 AND 9 ADDED TO SHOW LIGHT PIPE OPTION CAGE. 2019/04/26 | SHEET 2 : B1 : UPDATED DIM "A" FOR BOTH SINGLE AND DUAL LIGHT PIPE OPTION. C1 SHEET 4 : G8: DIA SYMBOL ADDED IN TOLERANCE ZONE B9: LED LOCATIONS SHOWN SHEET 5 : G7: DIA SYMBOL ADDED IN TOLERANCE ZONE A9: LED LOCATIONS SHOWN SHEET 6: B7: LED LOCATIONS SHOWN 2019/10/23 FOR BETTER VISIBILITY, THE LOCATION OF DATE CODE TEXT ON THE CAGE COVER ADJUSTED IN SHEET 1, SHEET 2, SHEET 3, SHEET 7, SHEET 8 AND SHEET 9.

6

5

4

3

1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION **CURRENT REV DESC:** molex 3:1 mm **GENERAL TOLERANCES** (UNLESS SPECIFIED) SFP-DD 1X1 CAGE ASSY, PCI VERSION. EC NO: 626123 ANGULAR TOL ± 2.0 ° SPRING FINGER TYPE, 0 REAR LEG, W/ HEATSINK 2019/10/23 DRWN: ASYAMIKAR **OPTIONS** 4 PLACES CHK'D: TKUMARKC 2019/10/24 3 PLACES APPR: JCHIANG 2019/10/24 PRODUCT CUSTOMER DRAWING 2 PLACES **INITIAL REVISION:** DOCUMENT NUMBER 1 PLACE 0.25 DRWN: TKUMARKC 2018/09/27 2048238001 PSD ASY 0 PLACES APPR: RCHEN08 2018/12/04 CUSTOMER DRAFT WHERE APPLICABLE THIRD ANGLE PROJECTION DRAWING SERIES MATERIAL NUMBER SHEET NUMBER MUST REMAIN C-SIZE 204823 SEE SHEET 3 10 OF 10 WITHIN DIMENSIONS

DOCUMENT STATUS | P1 RELEASE DATE | 2019/10/24 11:52:29

12

11

9

8

10