



Insulated cross-connector, No. of poles: 2, Mounting type: Plug in, Width: 9.1 mm, Rated cross-section: 2.5 mm², Colour: Black

RAL: 9005

Business data

Article number	<u>3710.4</u>
Article name	ZQI 2,5/2 BK
GTIN (EAN)	4044211108472
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	1.09 g
Weight per piece (including packaging)	1.12 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Prio-Article	3710.8
Product description	Insulated cross-connector



Technical data

Dimensions	
Length	4.5 mm
Width	9.1 mm
Pitch size	5 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	800 V
Rated current	24 A
Rated cross-section	2.5 mm ²
Contamination degree	3
Connection data	
No. of poles	2
Materials	
Material	Copper alloy
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	2
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Media





Accessories

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige





Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3574.2	ZRKD 2,5/D5 BG	4044211059187	100 ST



##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour:Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3645.2	ZRKD 2,5/LED(RD)/230V AC BG	4044211146733	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3570.2	ZRKD 2,5/D1 BG	4044211059149	100

0.00

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3571.2	ZRKD 2,5/D2 BG	4044211059156	100

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17481.2	ZST 2,5/1/1A/Q BG	4044211205201	50 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 66.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17493.2	ZST 2,5/13/1A/Q BG	4044211205324	10 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 71.4 mm, Colour: Beige

R	Article number	Article name	GTIN (EAN)	Packaging unit
	17494.2	ZST 2,5/14/1A/Q BG	4044211205331	10 ST



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging unit
	3653.2	ZRKS 2,5/2A/2S BG	4044211177683	100
	•	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	• • • •	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3652.2	ZRKS 2,5/2A/1S BG	4044211177676	100
	•	terminal, Plug-in connection, M , Colour: Beige	ounting type: Mounting rail	rs 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3655.2	ZRKS 2,5/2S BG	4044211177706	100
)()	•	terminal, Tension-spring conne m², Width: 25.5 mm, Colour: Be Article name	• • • • •	n, Rated cross Packaging unit
	17485.2	ZST 2,5/5/1A/Q BG	4044211205249	50 ST
KEMA	•	terminal, Tension-spring conne m², Width: 56.1 mm, Colour: Be	• • • • •	
ILEUR	Article number	Article name	GTIN (EAN)	Packaging unit
	17491.2	ZST 2,5/11/1A/Q BG	4044211205300	10 ST
B _R	0	terminal, Tension-spring conne m², Width: 76.5 mm, Colour: Be	0,11,00	n, Rated cross
	0		0,11,00	
	section: 2.5 m	m², Width: 76.5 mm, Colour: Be	eige	Packaging
	section: 2.5 m Article number <u>17495.2</u> Feed-through	m², Width: 76.5 mm, Colour: Be Article name	erction, Mounting type: Plug in	Packaging unit 10 ST
	section: 2.5 m Article number <u>17495.2</u> Feed-through	m², Width: 76.5 mm, Colour: Be Article name ZST 2,5/15/1A/Q BG terminal, Tension-spring conne	erction, Mounting type: Plug in	Packaging unit 10 ST

17496.2

ZST 2,5/16/1A/Q BG

4044211205355

10 ST



	Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige				
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3650.2	ZRKS 2,5/1A/1S BG	4044211177652	100	
	•	terminal, Tension-spring connection, cross-section: 2.5 mm², Width: 5.1 m	C F :	ing rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3651.2	ZRKS 2,5/1A/2S BG	4044211177669	100	
I∕ EMA	•	terminal, Tension-spring connection, m², Width: 45.9 mm, Colour: Beige	Mounting type: Plug ir	n, Rated cross-	
\ e u r	Article number	Article name	GTIN (EAN)	Packaging unit	
	17489.2	ZST 2,5/9/1A/Q BG	4044211205287	25 ST	
Kema	section: 2.5 m	terminal, Tension-spring connection, m ² , Width: 51 mm, Colour: Beige		n, Rated cross- Packaging	
	Article number	Article name	GTIN (EAN)	unit	
	17490.2	ZST 2,5/10/1A/Q BG	4044211205294	25 ST	
	•	terminal, Tension-spring connection, m², Width: 5.1 mm, Colour: Beige	Mounting type: Plug ir	n. Rated cross-	
				.,	
TW	Article number	Article name	GTIN (EAN)	Packaging unit	
M	Article number	Article name ZST 2,5/1A/Q/Z BG	GTIN (EAN) 4044211177843	Packaging	
	<u>3673.2</u> Feed-through		4044211177843	Packaging unit 100	
Kema	<u>3673.2</u> Feed-through	ZST 2,5/1A/Q/Z BG terminal, Tension-spring connection,	4044211177843	Packaging unit 100	
Kema	3673.2 Feed-through section: 2.5 m	ZST 2,5/1A/Q/Z BG terminal, Tension-spring connection, m², Width: 20.4 mm, Colour: Beige	4044211177843 Mounting type: Plug ir	Packaging unit 100 n, Rated cross- Packaging	
KEMA	3673.2 Feed-through t section: 2.5 m Article number <u>17484.2</u> Feed-through t	ZST 2,5/1A/Q/Z BG terminal, Tension-spring connection, m ² , Width: 20.4 mm, Colour: Beige Article name	4044211177843 Mounting type: Plug in GTIN (EAN) 4044211205232	Packaging unit 100 n, Rated cross- Packaging unit 50 ST	

R	Article number	Article name	GTIN (EAN)	Packaging unit
	17487.2	ZST 2,5/7/1A/Q BG	4044211205263	25 ST



⁾	•	terminal, Plug-in connection, Mounti , Colour: Beige	ing type: Mounting rail	FS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3654.2	ZRKS 2,5/4S BG	4044211177690	100
R	•	terminal, Tension-spring connection m², Width: 10.2 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
0 00	17482.2	ZST 2,5/2/1A/Q BG	4044211205218	50 ST
I∕ EMA	•	terminal, Tension-spring connection m², Width: 15.3 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross-
Neur	Article number	Article name	GTIN (EAN)	Packaging unit
	17483.2	ZST 2,5/3/1A/Q BG	4044211205225	50 ST
EAC	•	terminal, Tension-spring connection m², Width: 40.8 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross-
t ML	Article number	Article name	GTIN (EAN)	Packaging unit
CUL	Article number	Article name ZST 2,5/8/1A/Q BG	GTIN (EAN) 4044211205270	
	17488.2 Feed-through		4044211205270	unit 25 ST
	17488.2 Feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection	4044211205270	unit 25 ST
	17488.2 Feed-through section: 2.5 m	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m², Width: 61.2 mm, Colour: Beige	4044211205270 , Mounting type: Plug ir	unit 25 ST n, Rated cross- Packaging
	17488.2 Feed-through section: 2.5 m Article number 17492.2 Feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name	4044211205270 , Mounting type: Plug ir GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
	17488.2 Feed-through section: 2.5 m Article number 17492.2 Feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection	4044211205270 , Mounting type: Plug ir GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 million	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige	4044211205270 , Mounting type: Plug ir GTIN (EAN) 4044211205317 , Mounting type: Plug ir	unit 25 ST n, Rated cross- Packaging unit 10 ST n, Rated cross- Packaging
	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 millionArticle number3672.2Feed-through Feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name	4044211205270 , Mounting type: Plug ir GTIN (EAN) 4044211205317 , Mounting type: Plug ir GTIN (EAN) 4044211177836	unit 25 ST A, Rated cross- Packaging unit 10 ST A, Rated cross- Packaging unit 100
	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 millionArticle number3672.2Feed-through Feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1A/Q BG terminal, Tension-spring connection	4044211205270 , Mounting type: Plug ir GTIN (EAN) 4044211205317 , Mounting type: Plug ir GTIN (EAN) 4044211177836	unit 25 ST A, Rated cross- Packaging unit 10 ST A, Rated cross- Packaging unit 100



	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt			
Article number	Article name	GTIN (EAN)	Packaging unit	
 3528.2	ZIZA 1,5/3 BG	4044211058722	100 ST	
	al / actuator terminal / block variant, rail TS 35/7.5, Rated cross-sectior		•	
Article number	Article name	GTIN (EAN)	Packaging unit	
3529.2	ZIZA 1,5/3/B BG	4044211058739	50	
	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt	•	•••	
Article number	Article name	GTIN (EAN)	Packaging unit	
3530.2	ZIZA 1,5/3/LED(RD)/24V BG	4044211058746	50 ST	
Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm ² , Width: 5.1 mm, Colour: Beige				
	•	•	•••	
	•	•	•••	
rail TS 35/7.5,	Rated cross-section: 1.5 mm ² , Widt	th: 5.1 mm, Colour: Beig	Packaging	
rail TS 35/7.5, Article number 3533.2	Rated cross-section: 1.5 mm ² , Widt	th: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 , Tension-spring connec	Packaging unit 100 ST	
rail TS 35/7.5, Article number <u>3533.2</u> Initiator termina type: Mounting	Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant,	th: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 , Tension-spring connec	Packaging unit 100 ST	
rail TS 35/7.5, Article number 3533.2 Initiator termina type: Mounting Beige	Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant, rail TS 35/7.5, Rated cross-section	th: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 , Tension-spring connec n: 1.5 mm², Width: 5.1 m	Packaging unit 100 ST ction, Mounting m, Colour: Packaging	
rail TS 35/7.5, Article number 3533.2 Initiator termina type: Mounting Beige Article number 3535.2 Initiator termina	Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant, rail TS 35/7.5, Rated cross-section Article name	th: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 , Tension-spring connect h: 1.5 mm², Width: 5.1 m GTIN (EAN) 4044211058807 ng connection, Mounting	Packaging unit 100 ST etion, Mounting m, Colour: Packaging unit 50 ST type: Mounting	
rail TS 35/7.5, Article number 3533.2 Initiator termina type: Mounting Beige Article number 3535.2 Initiator termina	Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant, rail TS 35/7.5, Rated cross-section Article name ZIZA 1,5/4/B/LED(RD)/24V BG al / actuator terminal, Tension-sprin	th: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 , Tension-spring connect h: 1.5 mm², Width: 5.1 m GTIN (EAN) 4044211058807 ng connection, Mounting	Packaging unit 100 ST etion, Mounting m, Colour: Packaging unit 50 ST type: Mounting	



	al / actuator terminal, Tension-spring o Rated cross-section: 1.5 mm ² , Width:		•••
Article number	Article name	GTIN (EAN)	Packaging unit
<u>3644.2</u>	ZIZA 1,5/3/17 POL/LED(RD)/24V	4044211108403	1 ST
	al / actuator terminal / block variant, To g rail TS 35/7.5, Rated cross-section: 1		
Article number	Article name	GTIN (EAN)	Packaging unit
3531.2	ZIZA 1,5/3/B/LED(RD)/24V BG	4044211058760	50 ST
	al / actuator terminal, Tension-spring o Rated cross-section: 1.5 mm², Width:		•••
Article number	Article name	GTIN (EAN)	Packaging unit
3536.2	ZIZA 1,5/4/LED(RD)/24V BG	4044211058814	100 ST
	al / actuator terminal, Tension-spring o Rated cross-section: 1.5 mm², Width:		•••
Article number	Article name	GTIN (EAN)	Packaging unit
3544.2	ZIZA 1,5/3/8 POL	4044211058852	5 ST
	al / actuator terminal, Tension-spring o Rated cross-section: 1.5 mm², Width:		•••
Article number	Article name	GTIN (EAN)	Packaging unit
3547.2	ZIZA 1,5/3/10 POL/LED(RD)/24V	4044211058883	5 ST
	al / actuator terminal, Tension-spring or Rated cross-section: 1.5 mm ² , Width:		
Article number	Article name	GTIN (EAN)	Packaging unit
3553.2	ZIZA 1,5/3/10 POL/LED(RD)/24V/PE	4044211058944	5 ST



Article number	Article name	GTIN (EAN)	Packaging unit
3555.2	ZIZA 1,5/3/16 POL/LED(RD)/24V/PE	4044211058968	1 ST
	al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width		•••
Article number	Article name	GTIN (EAN)	Packaging unit
3556.2	ZIZA 1,5/4/8 POL/PE	4044211058975	5 ST
Article number	Rated cross-section: 1.5 mm ² , Width Article name	GTIN (EAN)	Packaging unit
3559.2	ZIZA 1,5/4/10 POL/LED(RD)/24V/PE	4044211059002	5 ST
Initiator termin	al / actuator terminal, Tension-spring	connection. Mounting	
	Article name	•	ulti-coloured
rail TS 35/7.5,	Rated cross-section: 1.5 mm ² , Width	: 91.8 mm, Colour: Mu	ulti-coloured Packaging
rail TS 35/7.5, Article number <u>3560.2</u> Initiator termina	Rated cross-section: 1.5 mm ² , Width	a: 91.8 mm, Colour: Mu GTIN (EAN) 4044211059019 connection, Mounting	Ilti-coloured Packaging unit 1 ST
rail TS 35/7.5, Article number <u>3560.2</u> Initiator termina	Rated cross-section: 1.5 mm², Width Article name ZIZA 1,5/4/16 POL/PE al / actuator terminal, Tension-spring	a: 91.8 mm, Colour: Mu GTIN (EAN) 4044211059019 connection, Mounting	Ilti-coloured Packaging unit 1 ST type: Mountin i-coloured
rail TS 35/7.5, Article number <u>3560.2</u> Initiator termina rail TS 35/7.5,	Rated cross-section: 1.5 mm², Width Article name ZIZA 1,5/4/16 POL/PE al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width	a: 91.8 mm, Colour: Mu GTIN (EAN) 4044211059019 connection, Mounting a: 51 mm, Colour: Mult	Ilti-coloured Packaging unit 1 ST type: Mountir i-coloured Packaging
rail TS 35/7.5, Article number <u>3560.2</u> Initiator termina rail TS 35/7.5, Article number <u>3642.2</u> Initiator termina	Rated cross-section: 1.5 mm ² , Width Article name ZIZA 1,5/4/16 POL/PE al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm ² , Width Article name	a: 91.8 mm, Colour: Mu GTIN (EAN) 4044211059019 connection, Mounting a: 51 mm, Colour: Mult GTIN (EAN) 4044211108410 Tension-spring connection	ulti-coloured Packaging unit 1 ST 1 ST 1 type: Mountin i-coloured Packaging unit 1 ST 2 tion, Mountin

Article number	Article name	GTIN (EAN)	Packaging unit
3534.2	ZIZA 1,5/4/B BG	4044211058791	50 ST



##INVERSE##CO	IA-CONNECT					
	Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm ² , Width: 45.9 mm, Colour: Multi-coloured					
	Article number	Article name	GTIN (EAN)	Packaging unit		
	3545.2	ZIZA 1,5/3/8 POL/LED(RD)/24V	4044211058869	5 ST		
		al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width		•••		
	Article number	Article name	GTIN (EAN)	Packaging unit		
	3548.2	ZIZA 1,5/3/16 POL	4044211058890	1 ST		
		al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width	-			
	Article number	Article name	GTIN (EAN)	Packaging unit		
	3550.2	ZIZA 1,5/3/8 POL/PE	4044211058913	5 ST		
		Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm ² , Width: 61.2 mm, Colour: Multi-coloured				
	Article number	Article name	GTIN (EAN)	Packaging unit		
	3552.2	ZIZA 1,5/3/10 POL/PE	4044211058937	5 ST		
		al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width		•••		
	Article number	Article name	GTIN (EAN)	Packaging unit		
	3557.2	ZIZA 1,5/4/8 POL/LED(RD)/24V/PE	4044211058982	5 ST		
		al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width		•••		
	Article number	Article name	GTIN (EAN)	Packaging unit		
		ZIZA 1,5/4/16 POL/LED(RD)/24V/PE	4044211059026			
	3561.2			1 ST		
	Initiator termin	al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm ² , Width	connection, Mounting	type: Mounting		
	Initiator termin	al / actuator terminal, Tension-spring	connection, Mounting	type: Mounting		
	Initiator termin rail TS 35/7.5,	al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm ² , Width	connection, Mounting 1: 51 mm, Colour: Mult	type: Mounting i-coloured Packaging		



##INVERSE##CONTA-CONNECT

Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm ² , Width: 91.8 mm, Colour: Multi-coloured				
Article number	Article name	GTIN (EAN)	Packaging unit	
<u>3643.2</u>	ZIZA 1,5/3/17 POL	4044211108397	1 ST	
-	h terminal for direct mount, ATEX-ce Mounting surface, Rated cross-sect			
Article number	Article name	GTIN (EAN)	Packaging unit	
1729.2	ZSRK 2,5/2A-D Ex BG	4044211129699	100 ST	
	al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width			
Article number	Article name	GTIN (EAN)	Packaging unit	
3546.2	ZIZA 1,5/3/10 POL	4044211058876	5 ST	
Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm ² , Width: 86.7 mm, Colour: Multi-coloured				
Article number	Article name	GTIN (EAN)	Packaging unit	
3549.2	ZIZA 1,5/3/16 POL/LED(RD)/24V	4044211058906	1 ST	
	al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width			
Article number	Article name	GTIN (EAN)	Packaging unit	
3551.2	ZIZA 1,5/3/8 POL/LED(RD)/24V/PE	4044211058920	5 ST	
	al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width			
Article number	Article name	GTIN (EAN)	Packaging unit	
3558.2	ZIZA 1,5/4/10 POL/PE	4044211058999	5 ST	



-0-0X	Article number	Article name	GTIN (EAN)	Packaging	
	3588.2	ZSRK 2,5/2A-D BG	4044211151966	unit 100	
	Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Black-yellow				
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3638.2	ZSLN 2,5/2A-D BKYE	4044211080570	100 ST	
	•	terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm Article name		Black-yellow Packaging	
W	3639.2	ZSLN 2,5/2A-RC BKYE	4044211080556	unit 100 ST	
	•	ZSLN 2,5/2A-D/F BKYE terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm		Beige	
	Feed-through	terminal for direct mount, Tensio	n-spring connection, Mour	nting type:	
	Feed-through Mounting surfa	terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm	n-spring connection, Mour n², Width: 5.1 mm, Colour:	nting type: Beige Packaging	
	Feed-through Mounting surfa Article number <u>3587.2</u> Feed-through	terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm Article name	n-spring connection, Mour h², Width: 5.1 mm, Colour: GTIN (EAN) 4044211151942 n-spring connection, Mour	nting type: Beige Packaging unit 100	
	Feed-through Mounting surfa Article number <u>3587.2</u> Feed-through	terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm Article name ZSRK 2,5/2A-RC BG terminal for direct mount, Tensio	n-spring connection, Mour h², Width: 5.1 mm, Colour: GTIN (EAN) 4044211151942 n-spring connection, Mour	nting type: Beige Packaging unit 100	
	Feed-through Mounting surfa Article number 3587.2 Feed-through Mounting surfa	terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm Article name ZSRK 2,5/2A-RC BG terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm	n-spring connection, Mour n², Width: 5.1 mm, Colour: GTIN (EAN) 4044211151942 n-spring connection, Mour n², Width: 11.1 mm, Colour	nting type: Beige Packaging unit 100 nting type: r: Beige Packaging	
	Feed-through Mounting surfa Article number 3587.2 Feed-through Mounting surfa Article number 3595.2 Fuse-disconne	terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm Article name ZSRK 2,5/2A-RC BG terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm Article name	n-spring connection, Mour h ² , Width: 5.1 mm, Colour: GTIN (EAN) 4044211151942 n-spring connection, Mour h ² , Width: 11.1 mm, Colour GTIN (EAN) 4044211059545 rection, Mounting type: Mo	nting type: Beige Packaging unit 100 nting type: r: Beige Packaging unit 50	
	Feed-through Mounting surfa Article number 3587.2 Feed-through Mounting surfa Article number 3595.2 Fuse-disconne	terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm Article name ZSRK 2,5/2A-RC BG terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mm Article name ZSRK 2,5/2A/D/F BG	n-spring connection, Mour h ² , Width: 5.1 mm, Colour: GTIN (EAN) 4044211151942 n-spring connection, Mour h ² , Width: 11.1 mm, Colour GTIN (EAN) 4044211059545 rection, Mounting type: Mo	nting type: Beige Packaging unit 100 nting type: r: Beige Packaging unit 50	



	Fuse-disconnect terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige				
South Co	Article number	Article name	GTIN (EAN)	Packaging unit	
	3621.2	ZTRK 2,5/3A/ZS BG	4044211059859	100	
	Fuse-disconnect terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige				
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3626.2	ZTRK 2,5/4A/ZS BG	4044211059903	100	
		ade terminal, Tension-spring connecti cross-section: 2.5 mm², Width: 5.1 m		ounting rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3605.2	ZTRK 2,5/4A/MT BG	4044211059699	100	
	Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige				
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3611.2	ZTRK 2,5/4A/OT BG	4044211059750	100	
		tiator terminal Multi-wire terminal, Te rail TS 35/7.5, Rated cross-section:		•	
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3590.2	ZIKD 2,5 BG	4044211059460	50	
		tiator terminal Multi-wire terminal, Te rail TS 35/7.5, Rated cross-section:		-	
	Article number	Article name	GTIN (EAN)	Packaging	

Article number	Article name	GTIN (EAN)	Packaging unit
3592.2	ZIKD 2,5/PE/L/L BG	4044211059507	50



	tiator terminal Multi-wire terminal, g rail TS 35/7.5, Rated cross-section	1 0	
Article number	Article name	GTIN (EAN)	Packaging unit
3594.2	ZIKD 2,5/PE/L/N BG	4044211059538	50 ST
	ade terminal, Tension-spring conne cross-section: 2.5 mm², Width: 5.1		ounting rail TS
Article number	Article name	GTIN (EAN)	Packaging unit
3603.2	ZTRK 2,5/2A/MT BG	4044211059675	100
	ade terminal, Tension-spring conne cross-section: 2.5 mm², Width: 5.1	• • • •	ounting rail TS
Article number	Article name	GTIN (EAN)	Packaging unit
3604.2	ZTRK 2,5/3A/MT BG	4044211059682	100
	, Tension-spring connection, Mount 2.5 mm², Width: 5.1 mm, Colour: B	• • • •	S 35/7.5, Rate Packaging
Article number	Article name	GTIN (EAN)	unit
3609.2	ZTRK 2,5/2A/OT BG	4044211059736	100
	, Tension-spring connection, Mount	ting type: Mounting rail 1	
cross-section:	2.5 mm ² , Width: 5.1 mm, Colour: B	0 71 0	S 35/7.5, Rate
cross-section: Article number	2.5 mm², Width: 5.1 mm, Colour: B Article name	0 71 0	S 35/7.5, Rate Packaging unit
		Beige	Packaging
Article number 3610.2 Three-level init	Article name	GTIN (EAN) 4044211059743 Tension-spring connect	Packaging unit 100 ion, Mounting
Article number 3610.2 Three-level init type: Mounting	Article name ZTRK 2,5/3A/OT BG tiator terminal Multi-wire terminal,	GTIN (EAN) 4044211059743 Tension-spring connect	Packaging unit 100 ion, Mounting



	Article number	Article name	GTIN (EAN)	Packaging unit
	3564.2	ZRKD 2,5/N/DU	4044211059088	100 ST
		erminal, Tension-spring conne cross-section: 2.5 mm ² , Width	••••	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3566.2	ZRKD 2,5/N/PE	4044211059101	100 ST
0.00		erminal, Tension-spring connector cross-section: 2.5 mm ² , Widther Article name		Packaging
	3575.2	ZRKD 2,5/ZBA BG	4044211059194	unit 100
		tiator terminal Multi-wire tern g rail TS 35/7.5, Rated cross-s	ninal, Tension-spring connect	ion, Mounting
	type: Mounting	tiator terminal Multi-wire tern	ninal, Tension-spring connect	ion, Mounting nm, Colour: Packaging
	type: Mounting Beige	tiator terminal Multi-wire tern g rail TS 35/7.5, Rated cross-s	ninal, Tension-spring connect section: 2.5 mm², Width: 5.1 m	ion, Mounting nm, Colour:
	type: Mounting Beige Article number 3591.2 Ex double-leve	tiator terminal Multi-wire tern g rail TS 35/7.5, Rated cross-s Article name	ninal, Tension-spring connect section: 2.5 mm², Width: 5.1 m GTIN (EAN) 4044211059484 nsion-spring connection, Mou	ion, Mounting nm, Colour: Packaging unit 50
	type: Mounting Beige Article number 3591.2 Ex double-leve	tiator terminal Multi-wire term g rail TS 35/7.5, Rated cross-s Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter	ninal, Tension-spring connect section: 2.5 mm², Width: 5.1 m GTIN (EAN) 4044211059484 nsion-spring connection, Mou	ion, Mounting nm, Colour: Packaging unit 50
	type: Mounting Beige Article number 3591.2 Ex double-leve Mounting rail	tiator terminal Multi-wire term g rail TS 35/7.5, Rated cross-s Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section	ninal, Tension-spring connect section: 2.5 mm², Width: 5.1 m GTIN (EAN) 4044211059484 nsion-spring connection, Moun n: 2.5 mm², Width: 5.1 mm, C	ion, Mounting nm, Colour: Packaging unit 50 nting type: olour: Beige Packaging
	type: Mounting Beige Article number <u>3591.2</u> Ex double-leve Mounting rail Article number <u>1707.2</u> Double-level to	tiator terminal Multi-wire term g rail TS 35/7.5, Rated cross-s Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name	ninal, Tension-spring connect section: 2.5 mm², Width: 5.1 m GTIN (EAN) 4044211059484 nsion-spring connection, Moun n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211110949 ection, Mounting type: Mountin	ion, Mounting nm, Colour: Packaging unit 50 nting type: olour: Beige Packaging unit 100
	type: Mounting Beige Article number <u>3591.2</u> Ex double-leve Mounting rail Article number <u>1707.2</u> Double-level to	tiator terminal Multi-wire term g rail TS 35/7.5, Rated cross-s Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZRKD 2,5 Ex BG erminal, Tension-spring conne	ninal, Tension-spring connect section: 2.5 mm², Width: 5.1 m GTIN (EAN) 4044211059484 nsion-spring connection, Moun n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211110949 ection, Mounting type: Mountin	ion, Mounting nm, Colour: Packaging unit 50 nting type: olour: Beige Packaging unit 100



##INVERSE##CONTA-CONNECT

		erminal, Tension-spring connection ection: 2.5 mm ² , Width: 5.1 mm, Co		ng rail TS35/7.5
	Article number	Article name	GTIN (EAN)	Packaging unit
	3563.2	ZRKD 2,5/SV BG	4044211059064	100
10.00		erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5.1		ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3565.2	ZRKD 2,5/DU/PE	4044211059095	100 ST
		erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5.1	U	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3576.2	ZRKD 2,5/SV/ZBA BG	4044211059217	100
		erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5.1		
0.03				ng rail TS Packaging unit
0.0	35/7.5, Rated	cross-section: 2.5 mm ² , Width: 5.1	mm, Colour: Beige	Packaging
	35/7.5, Rated Article number 3577.2 Double-level te	cross-section: 2.5 mm ² , Width: 5.1	mm, Colour: Beige GTIN (EAN) 4044211059231	Packaging unit 100 ST
	35/7.5, Rated Article number 3577.2 Double-level te	cross-section: 2.5 mm ² , Width: 5.1 Article name ZRKD 2,5/N/DU/ZBA erminal, Tension-spring connection	mm, Colour: Beige GTIN (EAN) 4044211059231	Packaging unit 100 ST
	35/7.5, Rated Article number <u>3577.2</u> Double-level to 35/7.5, Rated	cross-section: 2.5 mm², Width: 5.1 Article name ZRKD 2,5/N/DU/ZBA erminal, Tension-spring connection cross-section: 2.5 mm², Width: 5.1	mm, Colour: Beige GTIN (EAN) 4044211059231 , Mounting type: Mountin mm, Colour: Beige	Packaging unit 100 ST ng rail TS Packaging
	35/7.5, Rated Article number 3577.2 Double-level te 35/7.5, Rated Article number 3578.2 Double-level te	cross-section: 2.5 mm², Width: 5.1 Article name ZRKD 2,5/N/DU/ZBA erminal, Tension-spring connection cross-section: 2.5 mm², Width: 5.1 Article name	mm, Colour: Beige GTIN (EAN) 4044211059231 A Mounting type: Mountin mm, Colour: Beige GTIN (EAN) 4044211059248 A Mounting type: Mountin	Packaging unit 100 ST ng rail TS Packaging unit 100 ST
	35/7.5, Rated Article number 3577.2 Double-level te 35/7.5, Rated Article number 3578.2 Double-level te	cross-section: 2.5 mm ² , Width: 5.1 Article name ZRKD 2,5/N/DU/ZBA erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5.1 Article name ZRKD 2,5/DU/PE/ZBA erminal, Tension-spring connection	mm, Colour: Beige GTIN (EAN) 4044211059231 A Mounting type: Mountin mm, Colour: Beige GTIN (EAN) 4044211059248 A Mounting type: Mountin	Packaging unit 100 ST ng rail TS Packaging unit 100 ST

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1704.2	ZRK 2,5/2A Ex BG	4044211058401	100



	Article number	Article name	GTIN (EAN)	Packaging unit
	3501.2	ZRK 2,5/3A BG	4044211151690	100
rnr	0	terminal, Tension-spring connec cross-section: 2.5 mm², Width: 5	0,11	ing rail TS
EHL	Article number	Article name	GTIN (EAN)	Packaging unit
	1169.2	ZSRK 2,5/2A/SAS BG	4044211128647	100
		gh terminal ATEX-certified, Tens FS 15/5.5, Rated cross-section: 2		• • • •
60-0%				
	Article number	Article name	GTIN (EAN)	Packaging unit
	Article number	Article name ZSRK 2,5/2A/15 Ex BG	GTIN (EAN) 4044211059354	
	1700.2 Ex feed-throug Mounting rail T	ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens FS 35/7.5, Rated cross-section: 2	4044211059354 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	unit 100 Inting type:
	1700.2 Ex feed-throug Mounting rail T Article number	ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: 2 Article name	4044211059354 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN)	unit 100 Inting type: olour: Beige Packaging unit
	1700.2 Ex feed-throug Mounting rail T	ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens FS 35/7.5, Rated cross-section: 2	4044211059354 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	unit 100 Inting type: olour: Beige Packaging
	1700.2 Ex feed-throug Mounting rail T Article number 1702.2 Ex feed-throug	ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: 2 Article name	4044211059354 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059316 ion-spring connection, Mou	unit 100 Inting type: olour: Beige Packaging unit 100
	1700.2 Ex feed-throug Mounting rail T Article number 1702.2 Ex feed-throug	ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: 2 Article name ZSRK 2,5/2A Ex BG gh terminal ATEX-certified, Tens	4044211059354 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059316 ion-spring connection, Mou	unit 100 Inting type: olour: Beige Packaging unit 100
	1700.2 Ex feed-throug Mounting rail Article number 1702.2 Ex feed-throug Mounting rail	ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: 2 Article name ZSRK 2,5/2A Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: 2	4044211059354 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059316 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging
	1700.2 Ex feed-throug Mounting rail Article number 1702.2 Ex feed-throug Mounting rail Article number 1705.2 Feed-through	ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: 2 Article name ZSRK 2,5/2A Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: 2 Article name	4044211059354 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059316 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211110925 tion, Mounting type: Mount	unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige
	1700.2 Ex feed-throug Mounting rail Article number 1702.2 Ex feed-throug Mounting rail Article number 1705.2 Feed-through	ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: 2 Article name ZSRK 2,5/2A Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: 2 Article name ZRK 2,5/3A Ex BG terminal, Tension-spring connect	4044211059354 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059316 ion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211110925 tion, Mounting type: Mount	unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige

ļ	Article number	Article name	GTIN (EAN)	Packaging unit
	3583.2	ZSRK 2,5/2A BG	4044211151874	100



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3585.2	ZSRK 2,5/2A/15 BG	4044211151904	100

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1703.2	ZSRK 2,5/3A Ex BG	4044211059620	100

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1706.2	ZRK 2,5/4A Ex BG	4044211058463	100



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3599.2	ZSRK 2,5/3A/15 BG	4044211152024	100



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1701.2	ZSRK 2,5/3A/15 Ex BG	4044211059590	100

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige





##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3600.2	ZSRK 2,5/3A BG	4044211152031	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3570.2	ZRKD 2,5/D1 BG	4044211059149	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100