



Insulated cross-connector, No. of poles: 6, Mounting type: Plug in, Width: 29.5 mm, Rated cross-section: 2.5 mm², Colour: Black

RAL: 9005

Business data

3714.4
ZQI 2,5/6 BK
4044211111342
20
PC
3.4 g
3.46 g
G
85389099
CZ
3714.8
Insulated cross-connector



Technical data

Dimensions	
Length	4.5 mm
Width	29.5 mm
Pitch size	5 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	800 V
Rated current	24 A
Rated cross-section	2.5 mm ²
Contamination degree	3
Connection data	
No. of poles	6
Materials	
Material	Copper alloy
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	6
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Media





Accessories

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige





Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3574.2	ZRKD 2,5/D5 BG	4044211059187	100 ST



##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour:Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3645.2	ZRKD 2,5/LED(RD)/230V AC BG	4044211146733	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3570.2	ZRKD 2,5/D1 BG	4044211059149	100

0.00

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3571.2	ZRKD 2,5/D2 BG	4044211059156	100

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17481.2	ZST 2,5/1/1A/Q BG	4044211205201	50 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 66.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17493.2	ZST 2,5/13/1A/Q BG	4044211205324	10 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 71.4 mm, Colour: Beige

۲]	Article number	Article name	GTIN (EAN)	Packaging unit
	17494.2	ZST 2,5/14/1A/Q BG	4044211205331	10 ST



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging unit
	3653.2	ZRKS 2,5/2A/2S BG	4044211177683	100
	•	terminal, Tension-spring connec cross-section: 2.5 mm², Width: 5	• • • •	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3652.2	ZRKS 2,5/2A/1S BG	4044211177676	100
	•	terminal, Plug-in connection, Mo , Colour: Beige	ounting type: Mounting rail 1	FS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3655.2	ZRKS 2,5/2S BG	4044211177706	100
)	•	terminal, Tension-spring connec m², Width: 25.5 mm, Colour: Bei Article name	ge	n, Rated cross Packaging
	17485.2	ZST 2,5/5/1A/Q BG	GTIN (EAN) 4044211205249	unit 50 ST
	•	terminal, Tension-spring connec m², Width: 56.1 mm, Colour: Bei	• • • •	n, Rated cross
Kena	Article number	Article name	GTIN (EAN)	Packaging unit
Keur	Article number	Article name ZST 2,5/11/1A/Q BG	GTIN (EAN) 4044211205300	
K E U R	<u>17491.2</u> Feed-through		4044211205300 tion, Mounting type: Plug ir	unit 10 ST
K EUR	<u>17491.2</u> Feed-through	ZST 2,5/11/1A/Q BG terminal, Tension-spring connec	4044211205300 tion, Mounting type: Plug ir	unit 10 ST
K E UR E UR	17491.2 Feed-through section: 2.5 m	ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m², Width: 76.5 mm, Colour: Bei	4044211205300 tion, Mounting type: Plug ir ge	unit 10 ST n, Rated cross Packaging
K EUR	<u>17491.2</u> Feed-through section: 2.5 m Article number <u>17495.2</u> Feed-through	ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m², Width: 76.5 mm, Colour: Bei Article name	4044211205300 tion, Mounting type: Plug in ge GTIN (EAN) 4044211205348 tion, Mounting type: Plug in	unit 10 ST n, Rated cross Packaging unit 10 ST
K EUR	<u>17491.2</u> Feed-through section: 2.5 m Article number <u>17495.2</u> Feed-through	ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m ² , Width: 76.5 mm, Colour: Bei Article name ZST 2,5/15/1A/Q BG terminal, Tension-spring connec	4044211205300 tion, Mounting type: Plug in ge GTIN (EAN) 4044211205348 tion, Mounting type: Plug in	unit 10 ST n, Rated cross Packaging unit 10 ST

17496.2

ZST 2,5/16/1A/Q BG

4044211205355

10 ST



	•		Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit		
	3650.2	ZRKS 2,5/1A/1S BG	4044211177652	100		
	•	terminal, Tension-spring connec cross-section: 2.5 mm², Width: 5	••••	ing rail TS		
	Article number	Article name	GTIN (EAN)	Packaging unit		
	3651.2	ZRKS 2,5/1A/2S BG	4044211177669	100		
⊮ EMA	•	terminal, Tension-spring connec m², Width: 45.9 mm, Colour: Bei	•••••	n, Rated cross-		
I\ E U R	Article number	Article name	GTIN (EAN)	Packaging unit		
	17489.2	ZST 2,5/9/1A/Q BG	4044211205287	25 ST		
Kema	•	terminal, Tension-spring connec m², Width: 51 mm, Colour: Beige Article name	••••••	Packaging		
	17490.2	ZST 2,5/10/1A/Q BG	4044211205294	unit 25 ST		
	•	terminal, Tension-spring connec m², Width: 5.1 mm, Colour: Beig Article name	••••••	n, Rated cross- Packaging unit		
	3673.2	ZST 2,5/1A/Q/Z BG	4044211177843	100		
I∕ EMA	•	terminal, Tension-spring connec m², Width: 20.4 mm, Colour: Bei	••••••	n, Rated cross-		
Í\ E U R	Article number	Article name	GTIN (EAN)	Packaging unit		
	17484.2	ZST 2,5/4/1A/Q BG	4044211205232	50 ST		
I∕ EMA	•	terminal, Tension-spring connec m², Width: 35.7 mm, Colour: Bei	••••••	n, Rated cross-		
I\ E U R	Article number	Article name	GTIN (EAN)	Packaging unit		

Article number	Article name	GTIN (EAN)	Packaging unit
17487.2	ZST 2,5/7/1A/Q BG	4044211205263	25 ST



)	•	terminal, Plug-in connection, Mount , Colour: Beige	ing type: Mounting rail ⁻	FS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3654.2	ZRKS 2,5/4S BG	4044211177690	100
R	•	terminal, Tension-spring connection m², Width: 10.2 mm, Colour: Beige	i, Mounting type: Plug ir	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
0 00	17482.2	ZST 2,5/2/1A/Q BG	4044211205218	50 ST
[∠ EMA]	•	terminal, Tension-spring connection m², Width: 15.3 mm, Colour: Beige	i, Mounting type: Plug ir	n, Rated cross
[\ E U R	Article number	Article name	GTIN (EAN)	Packaging unit
	17483.2	ZST 2,5/3/1A/Q BG	4044211205225	50 ST
rnr	section: 2.5 mi	m ² , Width: 40.8 mm, Colour: Beige		
EHL	Article number	Article name	GTIN (EAN)	Packaging unit
tHL	Article number	Article name ZST 2,5/8/1A/Q BG	GTIN (EAN) 4044211205270	
	17488.2 Feed-through		4044211205270	unit 25 ST
	17488.2 Feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection	4044211205270	unit 25 ST
	17488.2 Feed-through section: 2.5 mi	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige	4044211205270	unit 25 ST n, Rated cross Packaging
	17488.2 Feed-through is section: 2.5 min Article number 17492.2 Feed-through is	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name	4044211205270 n, Mounting type: Plug in GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross Packaging unit 10 ST
	17488.2 Feed-through is section: 2.5 min Article number 17492.2 Feed-through is	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection	4044211205270 n, Mounting type: Plug in GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 million	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige	4044211205270 n, Mounting type: Plug in GTIN (EAN) 4044211205317 n, Mounting type: Plug in	unit 25 ST n, Rated cross- Packaging unit 10 ST n, Rated cross- Packaging
	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 millionArticle number3672.2Feed-through feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name	4044211205270 a, Mounting type: Plug in GTIN (EAN) 4044211205317 b, Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST A, Rated cross Packaging unit 10 ST A, Rated cross Packaging unit 100
	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 millionArticle number3672.2Feed-through feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1A/Q BG terminal, Tension-spring connection	4044211205270 a, Mounting type: Plug in GTIN (EAN) 4044211205317 b, Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST A, Rated cross Packaging unit 10 ST A, Rated cross Packaging unit 100



		gh terminal for direct mount, ATEX-cent Mounting surface, Rated cross-section		
C DEC.	Article number	Article name	GTIN (EAN)	Packaging unit
	1729.2	ZSRK 2,5/2A-D Ex BG	4044211129699	100 ST
	0	terminal for direct mount, Tension-spr ace, Rated cross-section: 2.5 mm², W	•	0 71
	Article number	Article name	GTIN (EAN)	Packaging unit
	3588.2	ZSRK 2,5/2A-D BG	4044211151966	100
	-	terminal for direct mount, Tension-spr ace, Rated cross-section: 2.5 mm², W	•	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3638.2	ZSLN 2,5/2A-D BKYE	4044211080570	100 ST
	-	terminal for direct mount, Tension-spr ace, Rated cross-section: 2.5 mm², W	•	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3639.2	ZSLN 2,5/2A-RC BKYE	4044211080556	100 ST
	-	terminal for direct mount, Tension-spr ace, Rated cross-section: 2.5 mm², W	•	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3640.2	ZSLN 2,5/2A-D/F BKYE	4044211080563	50 ST
		terminal for direct mount, Tension-spr ace, Rated cross-section: 2.5 mm ² , W		
	Article number	Article name	GTIN (EAN)	Packaging unit
	3587.2	ZSRK 2,5/2A-RC BG	4044211151942	100











##INVERSE##CONTA-CONNECT



Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3610.2	ZTRK 2,5/3A/OT BG	4044211059743	100



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17037.2	ZIKD 2,5/L-L-N BG	4044211155742	50 ST

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3564.2	ZRKD 2,5/N/DU	4044211059088	100 ST

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

2	Article number	Article name	GTIN (EAN)	Packaging unit
	3566.2	ZRKD 2,5/N/PE	4044211059101	100 ST



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3575.2	ZRKD 2,5/ZBA BG	4044211059194	100



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

<u>1-9</u> -4	Article number	Article name	GTIN (EAN)	Packaging unit
	3591.2	ZIKD 2,5/SV BG	4044211059484	50



##INVERSE##CONTA-CONNECT

		el terminal ATEX-certified, Tensio S 35/7.5, Rated cross-section: 2		• • • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	1707.2	ZRKD 2,5 Ex BG	4044211110949	100
		erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5.	• • • •	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3562.2	ZRKD 2,5 BG	4044211151836	100
		erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5.	C 1 1	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3563.2	ZRKD 2,5/SV BG	4044211059064	100
	Double-level te	erminal, Tension-spring connection	on, Mounting type: Mountir	ng rail TS
00		cross-section: 2.5 mm ² , Width: 5.	1 mm, Colour: Beige	3
		cross-section: 2.5 mm ² , Width: 5. Article name	1 mm, Colour: Beige GTIN (EAN)	Packaging unit
	35/7.5, Rated			Packaging
	35/7.5, Rated Article number <u>3565.2</u> Double-level te	Article name	GTIN (EAN) 4044211059095 on, Mounting type: Mountin	Packaging unit 100 ST
	35/7.5, Rated Article number <u>3565.2</u> Double-level te	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connectio	GTIN (EAN) 4044211059095 on, Mounting type: Mountin	Packaging unit 100 ST
	35/7.5, Rated Article number <u>3565.2</u> Double-level te 35/7.5, Rated	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connectio cross-section: 2.5 mm ² , Width: 5.	GTIN (EAN) 4044211059095 on, Mounting type: Mountin 1 mm, Colour: Beige	Packaging unit 100 ST ng rail TS Packaging
	35/7.5, Rated of Article number <u>3565.2</u> Double-level te 35/7.5, Rated of Article number <u>3576.2</u> Double-level te	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connectio cross-section: 2.5 mm ² , Width: 5. Article name	GTIN (EAN) 4044211059095 on, Mounting type: Mountin 1 mm, Colour: Beige GTIN (EAN) 4044211059217 on, Mounting type: Mountin	Packaging unit 100 ST ng rail TS Packaging unit 100
	35/7.5, Rated of Article number <u>3565.2</u> Double-level te 35/7.5, Rated of Article number <u>3576.2</u> Double-level te	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5. Article name ZRKD 2,5/SV/ZBA BG erminal, Tension-spring connection	GTIN (EAN) 4044211059095 on, Mounting type: Mountin 1 mm, Colour: Beige GTIN (EAN) 4044211059217 on, Mounting type: Mountin	Packaging unit 100 ST ng rail TS Packaging unit 100

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3578.2	ZRKD 2,5/DU/PE/ZBA	4044211059248	100 ST



	Article number	Article name	GTIN (EAN)	Packaging unit
	3579.2	ZRKD 2,5/N/PE/ZBA	4044211059255	100 ST
		gh terminal ATEX-certified, Ten		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	1704.2	ZRK 2,5/2A Ex BG	4044211058401	100
	•	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	••••	
	Article number	Article name	GTIN (EAN)	Packaging unit
	0504.0		4044211151690	100
	•	ZRK 2,5/3A BG terminal, Tension-spring conne	ction, Mounting type: Mount	
EAC	Feed-through		ction, Mounting type: Mount	ing rail TS
EAC	Feed-through 35/7.5, Rated	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	ection, Mounting type: Mount 5.1 mm, Colour: Beige	ing rail TS Packaging
ERC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou	ing rail TS Packaging unit 100 Inting type:
ERC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou	ing rail TS Packaging unit 100 Inting type:
EHC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section:	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	ing rail TS Packaging unit 100 Inting type: olour: Beige Packaging
EHC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail T Article number 1700.2 Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	ing rail TS Packaging unit 100 Inting type: olour: Beige Packaging unit 100 Inting type:
EAC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail T Article number 1700.2 Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name ZSRK 2,5/2A/15 Ex BG	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	ing rail TS Packaging unit 100 Inting type: olour: Beige Packaging unit 100 Inting type:

Article number	Article name	GTIN (EAN)	Packaging unit
1705.2	ZRK 2,5/3A Ex BG	4044211110925	100



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>3500.2</u>	ZRK 2,5/2A BG	4044211151683	100
	•	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	• • • •	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3583.2	ZSRK 2,5/2A BG	4044211151874	100
-	•	terminal, Tension-spring connector construction: 2.5 mm², Width:	• • • •	-
	Article number	Article name	GTIN (EAN)	Packaging
	Article number	Altiolo hallio	GTIN (LAN)	unit
	<u>3585.2</u>	ZSRK 2,5/2A/15 BG	4044211151904	unit 100
	<u>3585.2</u> Ex feed-throug		4044211151904 nsion-spring connection, Mou	100 Inting type:
0.0.0	<u>3585.2</u> Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter	4044211151904 nsion-spring connection, Mou	100 Inting type:
	3585.2 Ex feed-throug Mounting rail	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter FS 35/7.5, Rated cross-section	4044211151904 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co	100 Inting type: olour: Beige Packaging
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name	4044211151904 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 nsion-spring connection, Mou	100 Inting type: olour: Beige Packaging unit 100
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ter	4044211151904 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 nsion-spring connection, Mou	100 Inting type: olour: Beige Packaging unit 100
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug Mounting rail T	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section	4044211151904 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co	100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug Mounting rail T Article number 1706.2 Feed-through	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name	4044211151904 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211058463 ection, Mounting type: Mount	100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug Mounting rail T Article number 1706.2 Feed-through	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZRK 2,5/4A Ex BG terminal, Tension-spring connection	4044211151904 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211058463 ection, Mounting type: Mount	100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1701.2	ZSRK 2,5/3A/15 Ex BG	4044211059590	100



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3600.2	ZSRK 2,5/3A BG	4044211152031	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



##INVERSE##CONTA-CONNECT

		rminal with electronic components, Ter rail TS 35/7.5, Rated cross-section: 2.5	1 0	
Dia Sale	Article number	Article name	GTIN (EAN)	Packaging unit
	3570.2	ZRKD 2,5/D1 BG	4044211059149	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3571.2	ZRKD 2,5/D2 BG	4044211059156	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100