



NOTES:

1. MATERIAL:

(A). SPLICE CONNECTOR: COPPER (STOCK THICKNESS .031 [0.79])

PLATING: ELECTRO-TIN (.0003 MIN.)

(B). INSULATION: VINYL (BLUE)

2. MWID: MAXIMUM WIRE INSULATION DIAMETER

3. WIRE SIZE: 16 - 14 AWG

1.0 - 2.5 MM²

4. "UL" LISTING #E32244

"CSA" LISTING #18689

5. ALL DIMENSIONS IN INCHES/[MM].

6. PARTS ARE ROHS COMPLIANT.

7. DIMS. SHOWN ARE FOR REFERENCE ONLY.

MATERIAL NUMBER		ENGINEERING NUMBER	
192060005		BS-V-304X	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
SYMBOLS		CURRENT REV DESC: MIGRATION TO ECTR/NX	
DIMENSION UNITS: INCH/MM SCALE: NTS GENERAL TOLERANCES (UNLESS SPECIFIED): 4 PLACES ± .005 3 PLACES ± .01 2 PLACES ± 0.13 1 PLACE ± 0.25 0 PLACES ± .005 ANGULAR TOL ± 0.5°		EC NO: 626470 DRWN: ABENJAMINLW 2019/10/30 CHK'D: GROJAS01 2019/10/30 APPR: JMACNEIL 2019/11/04 INITIAL REVISION: DRWN: KO 1984/10/24 APPR:	
DOCUMENT STATUS			
P1		PARALLEL CONNECTOR INSULKRIMP	
RELEASE DATE		PRODUCT CUSTOMER DRAWING	
2019/11/04		DOCUMENT NUMBER: 6002108C	
15:52:20		DOC TYPE: PSD	
		DOC PART: 001	
		REVISION: A	
		MATERIAL NUMBER: SEE CHART	
		CUSTOMER: GENERAL MARKET	
		SHEET NUMBER: 1 OF 1	
		THIRD ANGLE PROJECTION	
		DRAWING: B-SIZE	
		SERIES: 60021	