





Cross-connector, No. of poles: 10, Mounting type: Can be screwed on, Width: 115.3 mm, Rated cross-section: 16 mm², Colour: natural

Business data

<u>2266.0</u>
Q 10
4044211050757
10
PC
25.4 g
25.41 g
G
85389099
CZ
Cross-connector
Natural





Technical data		
Dimensions		
Length	6 mm	
Width	115.3 mm	
Hole diameter	3.4 mm	
Hole spacing (mid-point to mid-point)	11.9 mm	
Pitch size	12 mm	
Ratings		
Voltage with partition, max.	800 V	
Voltage without partition, max.	400 V	
Rated current	47 A	
Rated cross-section	16 mm²	
Contamination degree	3	
Connection data		
No. of poles	10	
Screw head	Slotted	
Screw threading	M 3	
Tightening torque, min.	0.5 Nm	
Tightening torque, max.	1 Nm	
Materials		
Material	Brass	
Surface	Nickel	
Surface screw	Galvanized	
Further technical data		
Mounting type	Screwable	
Number of bridged terminals	10	





Environmental Product Compliance				
REACH Conform	No			
REACH Reference date	2023-01-17			
REACH Candidate Substance Note	No			
REACH CAS 1 Substance	LEAD			
REACH CAS 1 Percent minimal	0.1 %			
REACH CAS 1 Percent maximum	4 %			
REACH CAS 1 Number	7439-92-1			
RoHS Conform	yes			
RoHS Exception rule	6c			

2266.0 Q 10



Media







Accessories

Screwdriver

Screwdriver with bare blade, Colour: Black-grey



Article number	Article name	GTIN (EAN)	Packaging unit
1086.0	SDB 0,6x3,5	4044211014797	1 ST