Data sheet 3705.2 ZAP 4/4A BG





End plate, Width: 2 mm, Colour: Beige

Business data

<u>3705.2</u>
ZAP 4/4A BG
4044211060213
50
PC
2.4 g
2.5 g
G
85389099
DE
3705.2
End plate

Data sheet



3705.2 ZAP 4/4A BG

Technical data		
Dimensions		
Length	93 mm	
Width	2 mm	
Height	33.9 mm	
Materials		
Material	Polyamide 6.6	
Flammability class UL 94	V-2	
Working temperature, min.	-40 °C	
Working temperature, max.	105 °C	
Further technical data		
Designed as end plate	✓	
Snap-on available	✓	
Environmental Product Compliance		
REACH Conform	yes	
REACH Reference date	2022-06-10	
REACH Candidate Substance Note	No	
RoHS Conform	yes	

Data sheet 3705.2 ZAP 4/4A BG



Media

Data sheet

3705.2 ZAP 4/4A BG



Accessories

##INVERSE##CONTA-CONNECT



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
3527.2	ZSL 4/4A GNYE	4044211151812	100 ST



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
1724.2	ZSL 4/4A Ex GNYE	4044211058715	100 ST



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3518.2	ZRK 4/2x2A BG	4044211058661	100



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1718.2	ZRK 4/4A Ex BG	4044211058630	100



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3517.2	ZRK 4/4A BG	4044211151782	100