

## 28181.6 PVC-TAA 17X35 K GR

---

Device and installation marker, Length: 35 mm, Width: 17 mm, Colour: grey

RAL: Ähnlich 7035

### Business data

---

Article number	28181.6
Article name	PVC-TAA 17X35 K GR
GTIN (EAN)	4044211213374
For manufacturer type	ABB SNK LH-R1
Packaging unit	180
Quantity unit	PC
Number of markers per card	18 ST
Weight per piece (not including packaging)	1.04 g
Weight per piece (including packaging)	1.04 g
Unit of weight	G
Customs number	39199080
Country of origin	IT
Prio-Article	28181.7
Product description	Device and installation marker

---

### Technical data

---

#### Dimensions

Length	35 mm
Width	17 mm

#### Materials

Marker material	PVC
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Processing temperature, min.	10 °C
Processing temperature, max.	40 °C
Silicone-free	✓

#### Further technical data

Mounting	Self-adhesive
Software code	711

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

# Data sheet

28181.6 PVC-TAA 17X35 K GR



---

Media

---

---

### Accessories

---

#### Printer

---



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

---

#### Inlays

---

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST

---