



Cross-connector, No. of poles: 3, Mounting type: Can be screwed on, Width: 17 mm, Rated cross-section: 4 mm<sup>2</sup>, Colour: natural

Dusiness uata	
Article number	2020.0
Article name	Q 3
GTIN (EAN)	4044211048235
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	8.19 g
Weight per piece (including packaging)	8.26 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Product description	Cross-connector
Colour	Natural

#### **Business data**



### **Technical data**

Width	6 mm 17 mm 3.4 mm 6.1 mm
	3.4 mm
	-
Hole diameter	6.1 mm
Hole spacing (mid-point to mid-point)	
Pitch size 6	6 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	400 V
Rated current 2	27 A
Rated cross-section 2	4 mm²
Contamination degree	3
Connection data	
No. of poles	3
Screw head S	Slotted
Screw threading	M 3
Tightening torque, min.	0.5 Nm
Tightening torque, max.	1 Nm
Materials	
Material	Copper
Surface	Nickel
Surface screw (	Galvanized
Further technical data	
Mounting type	Screwable
Number of bridged terminals	3



### **Technical data**

Environmental Product Compliance		
REACH Conform	No	
REACH Reference date	2023-01-17	
REACH Candidate Substance Note	No	
REACH CAS 1 Substance	LEAD	
REACH CAS 1 Percent minimal	0.1 %	
REACH CAS 1 Percent maximum	4 %	
REACH CAS 1 Number	7439-92-1	
RoHS Conform	yes	
RoHS Exception rule	6c	

### *CONTACLIP*

### Media





#### Accessories

#### Screwdriver

	Screwdriver with bare blade, Colour: Black-grey				
- CONTRACT OF	Article number	Article name	GTIN (EAN)	Packaging unit	
	1086.0	SDB 0,6x3,5	4044211014797	1 ST	