



Cover, Length: 38 mm, Width: 12.9 mm, Colour: Yellow

**RAL:** 1026

#### **Business data**

Article number	<u>2820.0</u>
Article name	AD 1/16/B YE
GTIN (EAN)	4044211055462
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	1 g
Weight per piece (including packaging)	1.04 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	Cover
Colour	Yellow



Tookwieel dete		
Technical data		
Dimensions		
Length	38 mm	
Width	12.9 mm	
Materials		
Material	Polyamide 6.6	
Flammability class UL 94	V-2	
Working temperature, min.	-40 °C	
Working temperature, max.	105 °C	
<b>Environmental Product Compliance</b>		
REACH Conform	yes	
REACH Reference date	2023-01-17	
REACH Candidate Substance Note	No	
RoHS Conform	yes	



Media



#### **Accessories**

#### ##INVERSE##CONTA-CONNECT



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm², Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1432.2	RK 35 Ex BG	4044211044794	20



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm<sup>2</sup>, Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1163.2	RK 35/Z BG	4044211023737	20



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm<sup>2</sup>, Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1494.2	RK 35/IS BG	4044211045272	20



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm², Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1052.2	RK 35 BG	4044211011000	20



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm<sup>2</sup>, Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1495.2	RK 35/Z/IS BG	4044211045296	20