

## Specification Sheet

Part Number: MB19M4



Compact size for areas with limited mounting space.  
Simple to install with a screw or rivet.

Single hole attachment with two-way entry for cable tie.

Cable Tie Anchor Mount, 0.50" x .312", 0.13" Hole Dia, 0.1" Max Tie Width, PA66, Natural, 1000/pkg

Article Number 151-00294

Type MB1

Color Natural (NA)

Quantity Per bag

Product Description These cable tie mounts are compact in size. They are designed for simple yet robust installation particularly in areas with limited space. They pair with a cable tie for mounting applications including telecom equipment, switchgear and control cabinets.

Short Description Cable Tie Anchor Mount, 0.50" x .312", 0.13" Hole Dia, 0.1" Max Tie Width, PA66, Natural, 1000/pkg

Global Part Name MB1-PA66-NA

Length L (Imperial)	0.5
Length L (Metric)	12.7
Fixation Method	Screw Mounting and Rivet
Width W (Imperial)	0.312
Width W (Metric)	7.92
Cable Ties	T18
Height H (Imperial)	.13
Height H (Metric)	3.30
Cable Tie Width Max (Imperial)	0.1
Cable Tie Width Max (Metric)	2.54
Mounting Hole Diameter D (Imperial)	0.13
Mounting Hole Diameter D (Metric)	3.3 mm
Mounting Hole Diameter D Max (Metric)	3.3
Material	Polyamide 6.6 (PA66)

Material Shortcut	PA66
Flammability	UL 94 V-2
Halogen Free	Yes
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +185°F (-40°C to +85°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Certification/Specification	UL
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3926909988