


DETAIL "A"
CHAMFER
SCALE=9:1

IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	40 Ω	115 Ω	263 Ω
Minimum	- Ω	92 Ω	- Ω

Z vs. FREQUENCY
(REF. ONLY)



AGILENT E4991A Impedance/Material Analyzer
HP 16092A Test Fixture

FERRITE CORE DIMENSIONS (SPEC):mm[Inches]

A	23.00 [.906]	+ 0.70 [.027]
B	20.00 [.787]	+ 0.50 [.020]
C	12.00 [.472]	+ 0.50 [.020]
D	3.00 [.118]	+ 0.40 [.016]
E	0.70 [.028]	+ 0.25 [.010]

WEIGHT/1000 3.11 kgs [6.85 Lbs]

NOTES: UNLESS OTHERWISE SPECIFIED

1. COSMETIC SPECIFICATION REFER TO WI-QA-038.

SCALE DRAWING 1:1

28R0906-000



DIMENSIONS ARE IN mm [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.		Laird	
				PROJECT/PART NUMBER:	28R0906-000	REV	B
				DATE:	11/01/09	PART TYPE:	FERRITE RIBBON CORE
				CAD #	28R0906-000-B	DRAWN BY:	Jcai
B	UPDATE LOGO	08/29/16	QIU	SCALE:	3:1	MATERIAL:	Ferrite
A	ORIGINAL DRAFT	11/01/09	Jcai	TOOL #	R0906		
REV	DESCRIPTION	DATE	INT				