

Multi-Device Charging Station, 16 USB Ports, iPad and Android Tablets, Wall-Mount Option, White

MODEL NUMBER: CS16USBW









Locking steel cabinet provides 2.4A USB charging, syncing, secure storage and cord management for up to 16 tablets and other USB devices. Recommended for education, office, commercial, retail, industrial and healthcare environments.

Features

Fast Charging

- 16 USB ports provide fastest charging supported by each device, up to 2.4A per port
- Recommended for iPad®, Android™, Surface™ and Kindle™ tablets
- Also charges mobile phones and other USB devices
- Detachable 10-ft. (3.05 m) AC input cord with NEMA 5-15P plug

Convenient Syncing

- · USB sync uplink port connects to host computer for wired syncing
- · Compatible with wireless syncing
- Supports simultaneous syncing and charging (up to 1.5A per port during wired syncing)

Comprehensive Protection

- Sturdy steel construction and powder-coated finish promote long-term durability
- Door locks with included keys to help prevent device theft, damage or tampering
- Flow-through ventilation helps prevent devices from overheating
- · Coated shelf shields devices from scratches and scuffs

Flexible Configuration

- Ships fully assembled
- Supports mounting to wall, desk, table, counter or floor
- Door opens 180 degrees for improved device and service access
- Removable dividers accommodate thicker devices

Highlights

- Fast 2.4A USB charging, syncing and storage for 16 tablets
- Locking steel cabinet with flowthrough ventilation
- Adjustable device dividers and integrated cord management
- Ships fully assembled and mounts to wall, desk, table or floor
- Detachable 10-ft. (3.05 m) power cord

Package Includes

- CS16USBW 16-Device USB Charging Station Cabinet, White
- Detachable 10-ft. (3.05 m) AC input cord w/NEMA 5-15P plug
- (2) Keys
- Owner's manual



• Firmware upgrade port for future updates

Specifications

OVERVIEW	
UPC Code	037332188946
Product Type	Multi-Device Charger
Charging Form Factor	Stationary Cabinet
Functions	Charge; Secure; Sync
Device Compatibility	Tablet; Phone
Device Slots	16
INPUT	
Nominal Input Voltage(s) Supported	120V AC; 230V AC
Voltage Compatibility (VAC)	110-240
Input Frequency	50 / 60 Hz (auto-select)
Input Plug Type	NEMA 5-15P
Input Cord Length (ft.)	10
Input Cord Length (m)	3.05
POWER	
Power Consumption (Watts)	56
CHARGING	
Number of Charging Ports	16
Total Charging Amps	40A
Charging Method	USB
Charging Port Type	USB A (FEMALE)
Charging Ports Details	Pass through
Charging Ports / Amps	(16) 2.4A
Overcharge Protection	Yes
Charging Amps per Port	2.4A
PHYSICAL	
Color	White
Material of Construction	Steel
Charging Station Form Factor	Stationary Cabinet



Shipping Dimensions (hwd / cm) 46.99 x 54.00 x 69.01 Shipping Weight (bs.) 61.00 Shipping Weight (kg) 27.67 Slot Dimensions (hwd / in.) 81.x0.8 x 13.9 Slot Dimensions (hwd / im.) 206 x 20.1 x 353.8 Unit Dimensions (hwd / cm) 37.01 x 59.99 x 45.01 Unit Weight (bs.) 55.14 Unit Weight (kg) 25.01 Number of Shelves 1 FEATURES & SPECIFICATIONS Antimicrobial No Built-in Circuit Breaker Yes Cord Management Yes Overcurrent Protection Yes EMI/RET Line Noise Protection Yes IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EI/VECA-310-E; REACH; FCC Part 15 Class B (USA)		
Shipping Weight (bs.) 61.00 Shipping Weight (kg) 27.67 Slot Dimensions (hwd / in.) 8.1 x 0,8 x 13,9 Slot Dimensions (hwd / in.) 14.570 x 23.620 x 17.720 Unit Dimensions (hwd / in.) 14.570 x 23.620 x 17.720 Unit Weight (kg) 37.01 x 59.99 x 45.01 Unit Weight (kg) 25.01 Number of Shalves 1 FEATURES & SPECIFICATIONS Antimicrobial No Built-in Circuit Breaker Yes Cord Management Yes Overcurrent Protection Yes Flow-Through Ventilation Yes Flow-Through Ventilation Yes IP20 Rated No UV Sterilization No Locking Yes STANDARDS & COMPLIANCE Key STANDARDS & Compliance RoHS; CE (Europe); Eli/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Campliance 2year limited warranty	Shipping Dimensions (hwd / in.)	18.50 x 21.26 x 27.17
Shipping Weight (kg) 27.67	Shipping Dimensions (hwd / cm)	46.99 x 54.00 x 69.01
Siot Dimensions (hwd / in.) 8.1 x 0.8 x 13,9	Shipping Weight (lbs.)	61.00
Since Dimensions (hwd / mm) 206 x 20.1 x 353.8	Shipping Weight (kg)	27.67
Unit Dimensions (hwd / in.) 14.570 x 23.620 x 17.720 Unit Dimensions (hwd / cm) 37.01 x 59.99 x 45.01 Unit Weight (lbs.) 55.14 Unit Weight (lbs.) 25.01 Number of Shelves 1 FEATURES & SPECIFICATIONS Antimicrobial No Built-In Circuit Breaker Yes Cord Management Yes Overcurrent Protection Yes EMI/RFI Line Noise Protection Yes Flow-Through Ventilation Yes IP68 Rated No UV Sterilization No UV Sterilization No Locking Yes STANDARDS & COMPLIANCE Product Compliance Rolls; Eleverone; Eleverone; Eleverone; Eleverone Rolls; Eleverone; Eleveron	Slot Dimensions (hwd / in.)	8.1 x 0,8 x 13,9
Unit Dimensions (hwd / cm) 37.01 x 59.99 x 45.01 Unit Weight (fbs.) 55.14 Unit Weight (kg) 25.01 Number of Shelves 1 FEATURES & SPECIFICATIONS Antimicrobial No Built-In Circuit Breaker Yes Overcurrent Protection Yes EMI/RFI Line Noise Protection Yes EMI/RFI Line Noise Protection Yes Flow-Through Ventilation Yes UV Sterilization No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance Rolls (Europe): EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT CATEGORY PAGE FILTERS (VN ONLY)	Slot Dimensions (hwd / mm)	206 x 20,1 x 353.8
Unit Weight (kg) 55.14 Unit Weight (kg) 25.01 Number of Shelves 1 FEATURES & SPECIFICATIONS Antimicrobial No Built-In Circuit Breaker Yes Cord Management Yes Overcurrent Protection Yes EMI/RFI Line Noise Protection Yes Flow-Through Ventilation Yes UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico): UL 60950-1 Product Compliance Rolls; CE (Europe): ELI/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT CATEGORY PAGE FILTERS (YN ONLY)	Unit Dimensions (hwd / in.)	14.570 x 23.620 x 17.720
Unit Weight (kg) 25.01 Number of Shelves 1 FEATURES & SPECIFICATIONS Antimicrobial No Built-In Circuit Breaker Yes Cord Management Yes Overcurrent Protection Yes EMI/RFI Line Noise Protection Yes Flow-Through Ventilation Yes IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHs; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) CATEGORY PAGE FILTERS (YIN VLY)	Unit Dimensions (hwd / cm)	37.01 x 59.99 x 45.01
Number of Shelves 1 FEATURES & SPECIFICATIONS Antimicrobial No Built-In Circuit Breaker Yes Cord Management Yes Overcurrent Protection Yes EMI/RFI Line Noise Protection Yes Flow-Through Ventilation Yes IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHs; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Vorldwide) 2-year limited warranty CATEGORY PAGE FILTERS (VIN ONL)	Unit Weight (lbs.)	55.14
Antimicrobial No Built-In Circuit Breaker Yes Cord Management Yes Overcurrent Protection Yes EMI/RFI Line Noise Protection Yes Flow-Through Ventilation Yes IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Vordivinde) 2-year limited warranty	Unit Weight (kg)	25.01
Antimicrobial No Built-In Circuit Breaker Yes Cord Management Yes Overcurrent Protection Yes EMI/RFI Line Noise Protection Yes Flow-Through Ventilation Yes IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Vorldwide) 2-year limited warranty	Number of Shelves	1
Built-In Circuit Breaker Yes Cord Management Yes Overcurrent Protection Yes EMI/RFI Line Noise Protection Yes Flow-Through Ventilation Yes IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty	FEATURES & SPECIFICATIONS	
Cord Management Yes Overcurrent Protection Yes EMI/RFI Line Noise Protection Yes Flow-Through Ventilation Yes IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) CATEGORY PAGE FILTERS (Y/N ONLY)	Antimicrobial	No
Overcurrent Protection Yes EMI/RFI Line Noise Protection Yes Flow-Through Ventilation Yes IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (V/N ONLY)	Built-In Circuit Breaker	Yes
EMI/RFI Line Noise Protection Flow-Through Ventilation Yes IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) CATEGORY PAGE FILTERS (Y/N ONLY)	Cord Management	Yes
Flow-Through Ventilation Yes IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Overcurrent Protection	Yes
IP68 Rated No IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	EMI/RFI Line Noise Protection	Yes
IP20 Rated No UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty	Flow-Through Ventilation	Yes
UV Sterilization No Locking Yes Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	IP68 Rated	No
Lock Type Key STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	IP20 Rated	No
STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	UV Sterilization	No
STANDARDS & COMPLIANCE Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Locking	Yes
Product Certifications NOM (Mexico); UL 60950-1 Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Lock Type	Key
Product Compliance RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA) WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	STANDARDS & COMPLIANCE	
WARRANTY & SUPPORT Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Product Certifications	NOM (Mexico); UL 60950-1
Product Warranty Period (Worldwide) 2-year limited warranty CATEGORY PAGE FILTERS (Y/N ONLY)	Product Compliance	RoHS; CE (Europe); EIA/ECA-310-E; REACH; FCC Part 15 Class B (USA)
(Worldwide) CATEGORY PAGE FILTERS (Y/N ONLY)	WARRANTY & SUPPORT	
	Product Warranty Period (Worldwide)	2-year limited warranty
External Receptacle No	CATEGORY PAGE FILTERS (Y/N ONLY)	
	External Receptacle	No







© 2023 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.