

# Product data sheet

Specifications



## Jumper cable XZ, male straight M8 3 pin, female straight M8 3 pin, PUR 2 m

XZCR2705037R2

### Main

Accessory / separate part category Cabling accessory

Accessory / separate part type Jumper cable

### Complementary

Jumper cable end 1 M8 male 3 pins straight connector with screw-on

Jumper cable end 2 M8 female 3 pins straight connector with screw-on

Collar material Metal

Cable composition 3 x 0.34 mm<sup>2</sup>

Cable length 2 m

Wire insulation material PUR

Cable outer diameter 5.2 mm

[Ue] rated operational voltage 45 V DC  
60 V AC

[In] rated current 4 A

Insulation resistance  $\geq 1000$  MOhm

Maximum resistance across terminals 5000 mOhm

Net weight 0.09 kg

### Environment

IP degree of protection IP69K  
IP65  
IP67

Product certifications cULus

Ambient air temperature for operation -35...90 °C static  
-5...90 °C flexing

Ambient air temperature for storage -35...100 °C

### Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height	2.0 cm
Package 1 Width	18.0 cm
Package 1 Length	18.0 cm
Package 1 Weight	61.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	40
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	2.808 kg

## Offer Sustainability


Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End of Life Information</a>
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

## Contractual warranty

Warranty	18 months
----------	-----------

Dimensions


---



L : Length of cable

**Connections and Schemes**

---



**Recommended replacement(s)**