


May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.




- Notes
- SMT lead CO-PLANARITY : 0.1 max.
 - Tube package is applied for this product. Please refer to the sheet 2/3 for the details.
 - For modification, etc., preventive hole for sink mark may be added according to circumstances.

⚠ Added precaution

2	PHOSPHOR BRONZE	Contact: Gold plating 0.1 μm min. Lead: Tin plating 1 μm min. Under: Nickel plating 1 μm min.	4	PVC	Cap				
1	PPS	Light brown, UL94V-0	3	PVC	Tube				
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS				
UNITS	mm	SCALE	5 : 1	COUNT	1	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
						DIS-F-00006411	KS. NAKAJIMA	HT. YAMAGUCHI	20200803
HRS HIROSE ELECTRIC CO., LTD.		APPROVED : NH. NAKATA	20161121	DRAWING NO.		EDC-150569-91-00			
		CHECKED : HT. YAMAGUCHI	20161121	PART NO.		FX8-60P-SV1(91)			
		DESIGNED : MT. ITANO	20161121	CODE NO.		CL578-0041-0-91			
		DRAWN : MT. ITANO	20161121						

May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

Drawing for packing (free)



Notes 4 1 tube : 21 connectors.

HRS	DRAWING NO.	EDC-150569-91-00
	PART NO.	FX8-60P-SV1(91)
	CODE NO.	CL578-0041-0-91


① 2/3

May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.


【 Precaution 】

When a board with multiple connectors mounted is mated, the connector may be damaged or deformed.
Please divide one side of the board so only one connector is mated per board.

OK



NG



HRS	DRAWING NO.	EDC-150569-91-00
	PART NO.	FX8-60P-SV1(91)
	CODE NO.	CL578-0041-0-91
		3/3