

## Specification Sheet

Part Number: FSU10-E



Single-part insert creates smooth entry / exit point for wire and cables.

HelaGuard Metallic Conduit End Cap Insert, Flexible 0.25" (10mm) Dia, NPB Metal, 10/pkg

Article Number	166-90841
Type	FSU10-E
Color	Metal (ML)
Quantity Per	pack
Product Description	Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit.
Short Description	HelaGuard Metallic Conduit End Cap Insert, Flexible 0.25" (10mm) Dia, NPB Metal, 10/pkg
Global Part Name	FSU10-E-NPB/PVC-ML

Length L (Imperial) 0.64

Length L (Metric) 16.3

Height H (Imperial) 0.54

Height H (Metric) 13.8

Nominal Diameter (Imperial) 0.25

Nominal Diameter (Metric) 10

Material Nickel Plated Brass (NPB) Polyvinylchloride (PVC)

Material Shortcut NPB PVC

UV Resistant (Yes/No) No

Operating Temperature -148°F to +572°F (-100°C to +300°C)

Reach Compliant (Article 33) No

Package Quantity (Imperial) 10

Package Quantity (Metric) 10

Customs Number

7419805500

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)