



Short-circuit plug, Colour: Black

RAL: 9005

Business data

Article number	2886.0
Article name	KSS 2-8
GTIN (EAN)	4044211056117
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	8.39 g
Weight per piece (including packaging)	8.4 g
Unit of weight	G
Customs number	85366990
Country of origin	PL
Product description	Short-circuit plug
Colour	Black



Technical data

Dimensions		
Pitch size	8 mm	
Connection data		
No. of poles	2	
Materials		
Material	Copper	
Insulation housing	Polyamide 6.6	
Flammability class UL 94	V-2	
Working temperature, min.	-40 °C	
Working temperature, max.	105 °C	
Further technical data		
Mounting type	Plug in	
Insulation available	\checkmark	
Touch protection is available	\checkmark	
Number of bridged terminals	2	
Environmental Product Compliance		
REACH Conform	yes	
REACH Reference date	2023-01-17	
REACH Candidate Substance Note	No	
RoHS Conform	yes	



Media



Accessories

##INVERSE##CONTA-CONNECT

	ct terminal, Screw connection, Mountin cross-section: 10 mm², Width: 8 mm, C		35/7.5 and
Article number	Article name	GTIN (EAN)	Packaging unit
1130.2	PTK 10/LT BG	4044211019853	50 ST
	ct terminal, Screw connection, Mountin cross-section: 10 mm², Width: 8 mm, C	• • • •	35/7.5 and
Article number	Article name	GTIN (EAN)	Packaging unit
1132.2	PTK 10/QT BG	4044211020071	50 ST
	ct terminal, Screw connection, Mountin cross-section: 10 mm², Width: 8 mm, C	• • • •	35/7.5 and
Article number	Article name	GTIN (EAN)	Packaging
Article number 17366.2	Article name PTK 10/LT/HB BG	GTIN (EAN) 4044211185145	Packaging unit 50 ST
17366.2 Test disconned		4044211185145 ng type:Mounting rail TS	unit 50 ST
17366.2 Test disconneo TS 32, Rated o	PTK 10/LT/HB BG ct terminal, Screw connection, Mountin cross-section: 10 mm², Width: 8 mm, C	4044211185145 ng type:Mounting rail TS Colour: Beige	unit 50 ST 35/7.5 and Packaging
17366.2Test disconnedTS 32, Rated dArticle number1132.2Test disconned	PTK 10/LT/HB BG ct terminal, Screw connection, Mountin cross-section: 10 mm ² , Width: 8 mm, C Article name	4044211185145 ng type:Mounting rail TS Colour: Beige GTIN (EAN) 4044211020071	unit 50 ST 35/7.5 and Packaging unit 50 ST
17366.2Test disconnedTS 32, Rated dArticle number1132.2Test disconned	PTK 10/LT/HB BG ct terminal, Screw connection, Mountin cross-section: 10 mm ² , Width: 8 mm, C Article name PTK 10/QT BG ct terminal, Screw connection, Mountin	4044211185145 ng type:Mounting rail TS Colour: Beige GTIN (EAN) 4044211020071	unit 50 ST 35/7.5 and Packaging unit 50 ST



Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1135.2	PTK 10/DU/STB BG	4044211020408	50 ST



##INVERSE##CONTA-CONNECT



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17366.2	PTK 10/LT/HB BG	4044211185145	50 ST



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

	Article number	Article name	GTIN (EAN)	Packaging unit
	17367.2	PTK 10/LT/STB/HB BG	4044211185152	50 ST

##INVERSE##CONTA-CONNECT



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1134.2</u>	PTK 10/DU BG	4044211020293	50 ST

##INVERSE##CONTA-CONNECT



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Art	ticle number	Article name	GTIN (EAN)	Packaging unit
113	32.2	PTK 10/QT BG	4044211020071	50 ST

##INVERSE##CONTA-CONNECT



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17367.2	PTK 10/LT/STB/HB BG	4044211185152	50 ST