# LED FLOOD 30W 4000 LUMEN

30 WATT 4,000 LUMEN LED FLOOD LLB-52MN-41-00 (108-264VAC) LLB-52MN-A1-00 (270VAC)

The newest generation Lunasea Flood / Area LED light is both bright and ultra thin. Sleek design fits anywhere while offering extreme bright light output with a color rendering of >80CRI.. Can easily replace 40W flourescent fixture. Beam angle of 120 degree great for area lighting. Tempered Glass and Breather Valve.

IP Rating: Outdoor IP65

Power: 30 Watt

Voltage (41) 120/240VAC (108-264VAC - 50/60Hz)

Voltage (A1) 270VAC - 50/60Hz

Output: 4,000 Lumen, 4000K, >80CRI

Dimensions: 150 (5.9") W x184 (7.2") H x 24 (0.9") D

Enclosure: Aluminum / Baked White Urethane

Wiring: Three Wire - SOP

Wire Length: ~24 Inches

Mounting: 4 Screws, M4 x 14 or #8 x 0.5 inch

Certification: Certified to UL1598A





LLB-52MN-41-00


## **Typical Characteristics Graphs**




 $T_s = 25$  °C)

#### **Spectrum Distribution**


CCT: 4000K (80 CRI)



#### **Derating Curve**




### Beam Angle Characteristics



(352) 417-0009 • www.lunasealighting.com

## **Mechanical Dimensions**





DIMENSIONS: [IN] (MM)

