

## 28204.8 PVC-VRT-RH 25X100 YE



Device and installation marker, Length: 100 mm, Width: 25 mm, Colour: Yellow

**RAL:** 1026

### Business data

Article number	28204.8
Article name	PVC-VRT-RH 25X100 YE
GTIN (EAN)	4044211214982
Packaging unit	100
Quantity unit	PC
Number of markers per card	4 ST
Weight per piece (not including packaging)	3.13 g
Weight per piece (including packaging)	3.13 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Prio-Article	28204.7
Product description	Device and installation marker

---

### Technical data

---

#### Dimensions

Length	100 mm
Width	25 mm
Diameter of mounting hole	4 mm
Thickness	0.9 mm

#### Materials

Marker material	PVC
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Processing temperature, min.	10 °C
Processing temperature, max.	40 °C
Silicone-free	✓

#### Further technical data

Software code	206
Number of bore holes	2 ST

#### Environmental Product Compliance

REACH Conform	yes
REACH Candidate Substance Note	No
RoHS Conform	yes

### Media

---

## 28204.8 PVC-VRT-RH 25X100 YE

### Accessories

#### Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

#### Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST