



Insulated cross-connector, No. of poles: 8, Mounting type: Plug in, Width: 39.7 mm, Rated cross-section: 2.5 mm², Colour: Red

Business data

Article number	<u>3716.9</u>
Article name	ZQI 2,5/8 RD
GTIN (EAN)	4044211111304
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	4.58 g
Weight per piece (including packaging)	4.7 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Prio-Article	3716.8
Product description	Insulated cross-connector



Technical data

Dimensions	
Length	4.5 mm
Width	39.7 mm
Pitch size	5 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	800 V
Rated current	24 A
Rated cross-section	2.5 mm ²
Contamination degree	3
Connection data	
No. of poles	8
Materials	
Material	Copper alloy
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	8
Environmental Product Compliance	
REACH Candidate Substance Note	No

Media





Accessories

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige






Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3574.2	ZRKD 2,5/D5 BG	4044211059187	100 ST



##INVERSE##CONTA-CONNECT







Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17481.2	ZST 2,5/1/1A/Q BG	4044211205201	50 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 66.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17493.2	ZST 2,5/13/1A/Q BG	4044211205324	10 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 71.4 mm, Colour: Beige

2	Article number	Article name	GTIN (EAN)	Packaging unit
	17494.2	ZST 2,5/14/1A/Q BG	4044211205331	10 ST



	Article number	Article name	GTIN (EAN)	Packaging
	3653.2	ZRKS 2,5/2A/2S BG	4044211177683	unit 100
	•	terminal, Tension-spring connec cross-section: 2.5 mm², Width: 5	••••	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3652.2	ZRKS 2,5/2A/1S BG	4044211177676	100
	0	terminal, Plug-in connection, Mo , Colour: Beige	ounting type: Mounting rail	
	Article number	Article name	GTIN (EAN)	Packaging unit
	3655.2	ZRKS 2,5/2S BG	4044211177706	100
K EMA	•	terminal, Tension-spring connec m², Width: 25.5 mm, Colour: Bei	•••••••••••••••••••••••••••••••••••••••	n, Rated cross
I\EUR	Article number	Article name	GTIN (EAN)	
I\EUR	Article number 17485.2	Article name ZST 2,5/5/1A/Q BG	GTIN (EAN) 4044211205249	Packaging unit 50 ST
<u>I\EUR</u>	17485.2 Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring connec m², Width: 56.1 mm, Colour: Bei	4044211205249 ction, Mounting type: Plug in	unit 50 ST n, Rated cross Packaging
<u>I\EUR</u>	17485.2 Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring connect	4044211205249 ction, Mounting type: Plug ir	unit 50 ST
<u> \eur</u>	17485.2 Feed-through section: 2.5 m Article number 17491.2 Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring connec m ² , Width: 56.1 mm, Colour: Bei Article name	4044211205249 ction, Mounting type: Plug in ge GTIN (EAN) 4044211205300 ction, Mounting type: Plug in	unit 50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging
<u> \eur</u>	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring connect m ² , Width: 56.1 mm, Colour: Bei Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connect m ² , Width: 76.5 mm, Colour: Bei	4044211205249 etion, Mounting type: Plug in ge GTIN (EAN) 4044211205300 etion, Mounting type: Plug in ige	unit 50 ST a, Rated cross Packaging unit 10 ST a, Rated cross
[I\EUR])	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 mArticle number17495.2Feed-throughFeed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring connect m ² , Width: 56.1 mm, Colour: Bei Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connect m ² , Width: 76.5 mm, Colour: Bei Article name	4044211205249 etion, Mounting type: Plug in ge GTIN (EAN) 4044211205300 etion, Mounting type: Plug in ge GTIN (EAN) 4044211205348	unit 50 ST a, Rated cross Packaging unit 10 ST a, Rated cross Packaging unit 10 ST
	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 mArticle number17495.2Feed-throughFeed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring connect m ² , Width: 56.1 mm, Colour: Bei Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connect m ² , Width: 76.5 mm, Colour: Bei Article name ZST 2,5/15/1A/Q BG terminal, Tension-spring connect	4044211205249 etion, Mounting type: Plug in ge GTIN (EAN) 4044211205300 etion, Mounting type: Plug in ge GTIN (EAN) 4044211205348	50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 10 ST



		cross-section: 2.5 mm ² , Width: 5	ion, Mounting type: Mount .1 mm, Colour: Beige	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3650.2	ZRKS 2,5/1A/1S BG	4044211177652	100
	•	terminal, Tension-spring connect cross-section: 2.5 mm², Width: 5	••••	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3651.2	ZRKS 2,5/1A/2S BG	4044211177669	100
<u>}</u>	•	terminal, Tension-spring connect m², Width: 45.9 mm, Colour: Beig	••••••	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
	17489.2	ZST 2,5/9/1A/Q BG	4044211205287	25 ST
	•	terminal, Tension-spring connect m², Width: 51 mm, Colour: Beige Article name	••••••	n, Rated cross- Packaging unit
	17490.2	ZST 2,5/10/1A/Q BG	4044211205294	25 ST
	•	terminal, Tension-spring connect m², Width: 5.1 mm, Colour: Beige	••••••	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
a state	3673.2	ZST 2,5/1A/Q/Z BG	4044211177843	100
		terminal, Tension-spring connect m², Width: 20.4 mm, Colour: Beig		n, Rated cross-
KD _R				
	Article number	Article name	GTIN (EAN)	Packaging unit
C		Article name ZST 2,5/4/1A/Q BG	GTIN (EAN) 4044211205232	
	Article number 17484.2 Feed-through		4044211205232 tion, Mounting type: Plug ir	unit 50 ST

R	Article number	Article name	GTIN (EAN)	Packaging unit
	17487.2	ZST 2,5/7/1A/Q BG	4044211205263	25 ST



، مر <u>جع مرجع مرجع مر</u> د	•	terminal, Plug-in connection, Mountin , Colour: Beige	ng type: Mounting rail	FS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3654.2	ZRKS 2,5/4S BG	4044211177690	100
R	•	terminal, Tension-spring connection, m², Width: 10.2 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross-
CUS	Article number	Article name	GTIN (EAN)	Packaging unit
0 00	17482.2	ZST 2,5/2/1A/Q BG	4044211205218	50 ST
EAC	•	terminal, Tension-spring connection, m², Width: 15.3 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross-
CUL	Article number	Article name	GTIN (EAN)	Packaging unit
	17483.2	ZST 2,5/3/1A/Q BG	4044211205225	50 ST
	•	terminal, Tension-spring connection, m², Width: 40.8 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross-
KEUR	Article number	Article name	GTIN (EAN)	Packaging unit
KEUR	Article number	Article name ZST 2,5/8/1A/Q BG	GTIN (EAN) 4044211205270	
K EUR	17488.2 Feed-through		4044211205270	unit 25 ST
KEUR	17488.2 Feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection,	4044211205270	unit 25 ST
KEUR	17488.2 Feed-through section: 2.5 m	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige	4044211205270 , Mounting type: Plug ir	unit 25 ST n, Rated cross- Packaging
KEUR	17488.2 Feed-through t section: 2.5 mi Article number 17492.2 Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name	4044211205270 , Mounting type: Plug ir GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
KEUR	17488.2 Feed-through t section: 2.5 mi Article number 17492.2 Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection,	4044211205270 , Mounting type: Plug ir GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
KEUR	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 million	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m ² , Width: 5.1 mm, Colour: Beige	4044211205270 , Mounting type: Plug ir GTIN (EAN) 4044211205317 , Mounting type: Plug ir	unit 25 ST n, Rated cross- Packaging unit 10 ST n, Rated cross- Packaging
K EUR K EUR	17488.2Feed-through is section: 2.5 millionArticle number17492.2Feed-through is section: 2.5 millionArticle number3672.2Feed-through is section: 2.5 million	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m ² , Width: 5.1 mm, Colour: Beige Article name	4044211205270 , Mounting type: Plug in GTIN (EAN) 4044211205317 , Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST A, Rated cross- Packaging unit 10 ST A, Rated cross- Packaging unit 100
K E WA K E WA E UR	17488.2Feed-through is section: 2.5 millionArticle number17492.2Feed-through is section: 2.5 millionArticle number3672.2Feed-through is section: 2.5 million	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1A/Q BG terminal, Tension-spring connection,	4044211205270 , Mounting type: Plug in GTIN (EAN) 4044211205317 , Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST A, Rated cross- Packaging unit 10 ST A, Rated cross- Packaging unit 100



Ex feed-through terminal for direct mount, ATEX-certified, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 25 mm ² , Width: 51 mm, Colour: Beige					
Article number	Article name	GTIN (EAN)	Packaging unit		
1729.2	ZSRK 2,5/2A-D Ex BG	4044211129699	100 ST		
•	terminal for direct mount, Tension-sp ace, Rated cross-section: 2.5 mm², V	•			
Article number	Article name	GTIN (EAN)	Packaging unit		
3588.2	ZSRK 2,5/2A-D BG	4044211151966	100		
•	terminal for direct mount, Tension-sp ace, Rated cross-section: 2.5 mm ² , V	•	• • •		
Article number	Article name	GTIN (EAN)	Packaging unit		
3638.2	ZSLN 2,5/2A-D BKYE	4044211080570	100 ST		
•	Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Black-yellow				
Article number	Article name	GTIN (EAN)	Packaging unit		
3639.2	ZSLN 2,5/2A-RC BKYE	4044211080556	100 ST		
•	terminal for direct mount, Tension-sp ace, Rated cross-section: 2.5 mm², V		• • •		
Article number	Article name	GTIN (EAN)	Packaging unit		
3640.2	ZSLN 2,5/2A-D/F BKYE	4044211080563	50 ST		
•	Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige				
Article number	Article name	GTIN (EAN)	Packaging unit		
3587.2	ZSRK 2,5/2A-RC BG	4044211151942	100		




				Destauto
oleneu.	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>3595.2</u>	ZSRK 2,5/2A/D/F BG	4044211059545	50
		ect terminal, Tension-spring col cross-section: 2.5 mm², Width:	÷	unting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3616.2	ZTRK 2,5/2A/ZS BG	4044211059804	100
		ect terminal, Tension-spring concerning concerns cross-section: 2.5 mm², Width:	0,11	unting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3621.2	ZTRK 2,5/3A/ZS BG	4044044050050	400
	<u>5021.2</u>	21002,3/34/23 00	4044211059859	100
	Fuse-disconne	ect terminal, Tension-spring concross-section: 2.5 mm ² , Width:	nnection, Mounting type: Mo	unting rail TS
	Fuse-disconne 35/7.5, Rated	ect terminal, Tension-spring concrete concrete concrete cross-section: 2.5 mm², Width:	nnection, Mounting type: Mo 5.1 mm, Colour: Beige	unting rail TS Packaging
	Fuse-disconne 35/7.5, Rated Article number <u>3626.2</u> Disconnect-bla	ect terminal, Tension-spring concross-section: 2.5 mm², Width: Article name	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 Donnection, Mounting type: Mo 5.1 mm, Colour: Beige	unting rail TS Packaging unit 100 Dunting rail TS Packaging
	Fuse-disconne 35/7.5, Rated Article number <u>3626.2</u> Disconnect-bla 35/7.5, Rated	ect terminal, Tension-spring con cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width:	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903	unting rail TS Packaging unit 100
	Fuse-disconne 35/7.5, Rated Article number 3626.2 Disconnect-bla 35/7.5, Rated Article number 3605.2 Basic terminal	ect terminal, Tension-spring con cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 onnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059699	unting rail TS Packaging unit 100 Dunting rail TS Packaging unit 100
	Fuse-disconne 35/7.5, Rated Article number 3626.2 Disconnect-bla 35/7.5, Rated Article number 3605.2 Basic terminal	ect terminal, Tension-spring con cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/MT BG , Tension-spring connection, M	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 onnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059699	unting rail TS Packaging unit 100 Dunting rail TS Packaging unit 100



	type: Mounting	g rail TS 35/7.5, Rated cross-se	ection: 2.5 mm ² , Width: 5.1 n	nm, Colour:Beig
	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>3590.2</u>	ZIKD 2,5 BG	4044211059460	50
all dia		tiator terminal Multi-wire termi g rail TS 35/7.5, Rated cross-se		-
	Article number	Article name	GTIN (EAN)	Packaging unit
	3592.2	ZIKD 2,5/PE/L/L BG	4044211059507	50
		tiator terminal Multi-wire termi g rail TS 35/7.5, Rated cross-se		•
	Article number	Article name	GTIN (EAN)	Packaging unit
	3594.2	ZIKD 2,5/PE/L/N BG	4044211059538	50 ST
		ade terminal, Tension-spring co cross-section: 2.5 mm², Width:	• • • • •	ounting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3603.2	ZTRK 2,5/2A/MT BG	4044211059675	100
		ade terminal, Tension-spring co cross-section: 2.5 mm², Width:	• • • • •	ounting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3604.2	ZTRK 2,5/3A/MT BG	4044211059682	100
		, Tension-spring connection, M 2.5 mm², Width: 5.1 mm, Color		rS 35/7.5, Rated
	Article number	Article name	GTIN (EAN)	Packaging unit



##INVERSE##CONTA-CONNECT



Article number	Article name	GTIN (EAN)	unit
<u>3575.2</u>	ZRKD 2,5/ZBA BG	4044211059194	100



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3591.2	ZIKD 2,5/SV BG	4044211059484	50



##INVERSE##CONTA-CONNECT

	Ex double-level terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige				
	Article number	Article name	GTIN (EAN)	Packaging unit	
	1707.2	ZRKD 2,5 Ex BG	4044211110949	100	
		erminal, Tension-spring connecti cross-section: 2.5 mm², Width: 5	C F I	ng rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3562.2	ZRKD 2,5 BG	4044211151836	100	
		erminal, Tension-spring connecti cross-section: 2.5 mm², Width: 5	C F I	ng rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3563.2	ZRKD 2,5/SV BG	4044211059064	100	
		erminal, Tension-spring connecti cross-section: 2.5 mm², Width: 5	C F I	ng rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3565.2	ZRKD 2,5/DU/PE	4044211059095	100 ST	
		erminal, Tension-spring connecti cross-section: 2.5 mm², Width: 5	0,11	ng rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3576.2	ZRKD 2,5/SV/ZBA BG	4044211059217	100	
00	Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige				
	Article number	Article name	GTIN (EAN)	Packaging unit	

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3578.2	ZRKD 2,5/DU/PE/ZBA	4044211059248	100 ST



	Article number	Article name	GTIN (EAN)	Packaging unit
	3579.2	ZRKD 2,5/N/PE/ZBA	4044211059255	100 ST
		gh terminal ATEX-certified, Ten IS 35/7.5, Rated cross-section:		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	1704.2	ZRK 2,5/2A Ex BG	4044211058401	100
	0	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	0,11	C
	Article number	Article name	GTIN (EAN)	Packaging unit
	3501.2	ZRK 2,5/3A BG	4044211151690	100
	•	terminal, Tension-spring conne	••••	ing rail TS
EAC	•	terminal, Tension-spring conne cross-section: 2.5 mm ² , Width: Article name	••••	
EAC	35/7.5, Rated	cross-section: 2.5 mm ² , Width:	5.1 mm, Colour: Beige	Packaging
ERC	35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail	cross-section: 2.5 mm², Width: Article name	5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	Packaging unit 100 Inting type: olour: Beige Packaging
ERC	35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug	cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Tens TS 15/5.5, Rated cross-section:	5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou	Packaging unit 100 Inting type:
ERC	35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail Article number <u>1700.2</u> Ex feed-throug Mounting rail	cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Tene TS 15/5.5, Rated cross-section: Article name ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tene TS 35/7.5, Rated cross-section:	5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	Packaging unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige
EAC	35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail Article number <u>1700.2</u> Ex feed-throug	cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens	5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	Packaging unit 100 Inting type: olour: Beige Packaging unit 100

Article number	Article name	GTIN (EAN)	Packaging unit
1705.2	ZRK 2,5/3A Ex BG	4044211110925	100



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging unit
	3500.2	ZRK 2,5/2A BG	4044211151683	100
	•	terminal, Tension-spring connector construction: 2.5 mm², Width:	• • • •	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3583.2	ZSRK 2,5/2A BG	4044211151874	100
	-	terminal, Tension-spring connector construction: 2.5 mm², Width:	÷ • •	-
	Article number	Article name	GTIN (EAN)	Packaging unit
	3585.2	ZSRK 2,5/2A/15 BG	4044211151904	100
		gh terminal ATEX-certified, Ter S 35/7.5, Rated cross-section		nting type:
5 4 4		• · · · · · · · · · · · · · · · · · · ·		nting type: plour: Beige
5 4 4	Mounting rail	S 35/7.5, Rated cross-section	: 2.5 mm², Width: 5.1 mm, C	nting type: olour: Beige Packaging
	Mounting rail T Article number <u>1703.2</u> Ex feed-throug	S 35/7.5, Rated cross-section	: 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 nsion-spring connection, Mou	nting type: blour: Beige Packaging unit 100 nting type:
	Mounting rail T Article number <u>1703.2</u> Ex feed-throug	TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ter	: 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 nsion-spring connection, Mou	nting type: olour: Beige Packaging unit 100 nting type: olour: Beige
	Mounting rail T Article number <u>1703.2</u> Ex feed-throug Mounting rail T	Article name ZSRK 2,5/3A Ex BG bh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section	2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co	nting type: olour: Beige Packaging unit 100 nting type: olour: Beige Packaging
	Mounting rail T Article number <u>1703.2</u> Ex feed-throug Mounting rail T Article number <u>1706.2</u> Feed-through	Article name ZSRK 2,5/3A Ex BG b terminal ATEX-certified, Ter S 35/7.5, Rated cross-section Article name	: 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211058463 ection, Mounting type: Mount	nting type: olour: Beige Packaging unit 100 nting type: olour: Beige Packaging unit 100
	Mounting rail T Article number <u>1703.2</u> Ex feed-throug Mounting rail T Article number <u>1706.2</u> Feed-through	Article name ZSRK 2,5/3A Ex BG terminal ATEX-certified, Ter S 35/7.5, Rated cross-section Article name ZRK 2,5/4A Ex BG terminal, Tension-spring connect	: 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 nsion-spring connection, Mou : 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211058463 ection, Mounting type: Mount	nting type: olour: Beige Packaging unit 100 nting type: olour: Beige Packaging unit 100

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1701.2	ZSRK 2,5/3A/15 Ex BG	4044211059590	100



Packaging

##INVERSE##CONTA-CONNECT

	Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige				
	3502.2	ZRK 2,5/4A BG	4044211151713	100	

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3600.2	ZSRK 2,5/3A BG	4044211152031	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



##INVERSE##CONTA-CONNECT

	Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour:Beige				
N.Cal	Article number	Article name	GTIN (EAN)	Packaging unit	
	3570.2	ZRKD 2,5/D1 BG	4044211059149	100	

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3571.2	ZRKD 2,5/D2 BG	4044211059156	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100