

## JUG WARMERS

### HotBelt™ Wrap-Around Refrigerant Jug Warmer (HB Series)

- ▶ Adjustable fit design with hook & loop strap fits common size cylinders: 30 lb, 50 lb, and 125 lb (13 kg, 23 kg, and 57 kg)
- ▶ Designed to heat the tank surface to 120°F (49°C)
- ▶ Moisture and chemical resistant – IP56 rated
- ▶ 6 ft (1.8 m) long power cord with choice of plug

#### Benefits:

- Preheats and keeps refrigerant jug cylinders warm when servicing HVACR systems in cold weather
- Ensures adequate pressure from refrigerant to A/C or refrigeration system during cold weather servicing Ideal for portable and outdoor use
- Easy-to-use – simple plug-and-play design
- Rugged – provides long service life and can be used in a wide variety of environments

#### Specifications:

**Heater Width:** 6 in (152 mm)

Length: 26 in (660 mm)

**Thermostat:** Thermostat is preset to 158°F (70°C) and the heater is designed to heat the surface of the tank to 120°F (49°C)

**Exposure Temperature:** -60°F to 450°F (-51°C to 232°C)

**Voltage:** 120, 230, or 240 VAC

**Power Density:** 1.4 W/in<sup>2</sup> (0.2 W/cm<sup>2</sup>)

**Dielectric Strength:** Over 2000 volts

**Silicone Rubber Density:** 46.0 oz/yd<sup>2</sup> (1560 g/m<sup>2</sup>) Closure

**Method:** Adjustable strap

**Cylinder Diameter Range:** Minimum 9 in (229 mm)

**Power Cord:** 6 ft (1.8 m) long with choice of power plug

**Ingress Protection Rating:** IP56

\*Variations in ambient temperature and material contents within the cylinder may affect actual surface temperature of the cylinder.

#### Ordering Information:

Part No.	Voltage VAC	Plug Type	Total Watts
HB1001	120	NEMA 5-15P	200
HB2001	240	NEMA 6-15P	200
HB2002	230	CEE 7/7	200

**NEW!**

**Plug and Play**

**Moisture and Chemical Resistant**

#### Safe to use with common refrigerants:

- R-410A
- R-407C
- R-139A
- R-22
- R-404
- And more