

Insulated cross-connector, No. of poles: 9, Mounting type: Plug in, Width: 44.8 mm, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Black

**RAL:** 9005

### Business data

|  |                           |
|--|---------------------------|
| Article number                             | <u>3717.4</u>             |
| Article name                               | ZQI 2,5/9 BK              |
| GTIN (EAN)                                 | 4044211111335             |
| Packaging unit                             | 10                        |
| Quantity unit                              | PC                        |
| Weight per piece (not including packaging) | 5.2 g                     |
| Weight per piece (including packaging)     | 5.24 g                    |
| Unit of weight                             | G                         |
| Customs number                             | 85389099                  |
| Country of origin                          | CZ                        |
| Prio-Article                               | 3717.8                    |
| Product description                        | Insulated cross-connector |

### Technical data

#### Dimensions

|            |         |
|------------|---------|
| Length     | 4.5 mm  |
| Width      | 44.8 mm |
| Pitch size | 5 mm    |

#### Ratings

|                                 |                     |
|---------------------------------|---------------------|
| Voltage with partition, max.    | 800 V               |
| Voltage without partition, max. | 800 V               |
| Rated current                   | 24 A                |
| Rated cross-section             | 2.5 mm <sup>2</sup> |
| Contamination degree            | 3                   |

#### Connection data

|              |   |
|--------------|---|
| No. of poles | 9 |
|--------------|---|

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Copper alloy  |
| Surface                   | Tin-plated    |
| Insulation housing        | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |

#### Further technical data

|                               |         |
|-------------------------------|---------|
| Mounting type                 | Plug in |
| Insulation available          | ✓       |
| Touch protection is available | ✓       |
| Number of bridged terminals   | 9       |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2022-06-10 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |


---

### Media

---

### Accessories

#### ##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17481.2</u> | ZST 2,5/1/1A/Q BG | 4044211205201 | 50 ST          |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 66.3 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>17493.2</u> | ZST 2,5/13/1A/Q BG | 4044211205324 | 10 ST          |




Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 71.4 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>17494.2</u> | ZST 2,5/14/1A/Q BG | 4044211205331 | 10 ST          |




Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3653.2</u>  | ZRKS 2,5/2A/2S BG | 4044211177683 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3652.2</u>  | ZRKS 2,5/2A/1S BG | 4044211177676 | 100            |



Feed-through terminal, Plug-in connection, Mounting type: Mounting rail TS 35/7.5, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3655.2</u>  | ZRKS 2,5/2S BG | 4044211177706 | 100            |

### ##INVERSE##CONTA-CONNECT

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 25.5 mm, Colour: Beige



| Article number          | Article name      | GTIN (EAN)    | Packaging unit |
|-------------------------|-------------------|---------------|----------------|
| <a href="#">17485.2</a> | ZST 2,5/5/1A/Q BG | 4044211205249 | 50 ST          |

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 56.1 mm, Colour: Beige



| Article number          | Article name       | GTIN (EAN)    | Packaging unit |
|-------------------------|--------------------|---------------|----------------|
| <a href="#">17491.2</a> | ZST 2,5/11/1A/Q BG | 4044211205300 | 10 ST          |

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 76.5 mm, Colour: Beige




| Article number          | Article name       | GTIN (EAN)    | Packaging unit |
|-------------------------|--------------------|---------------|----------------|
| <a href="#">17495.2</a> | ZST 2,5/15/1A/Q BG | 4044211205348 | 10 ST          |

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 816 mm, Colour: Beige




| Article number          | Article name       | GTIN (EAN)    | Packaging unit |
|-------------------------|--------------------|---------------|----------------|
| <a href="#">17496.2</a> | ZST 2,5/16/1A/Q BG | 4044211205355 | 10 ST          |

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige



| Article number         | Article name      | GTIN (EAN)    | Packaging unit |
|------------------------|-------------------|---------------|----------------|
| <a href="#">3650.2</a> | ZRKS 2,5/1A/1S BG | 4044211177652 | 100            |

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige



| Article number         | Article name      | GTIN (EAN)    | Packaging unit |
|------------------------|-------------------|---------------|----------------|
| <a href="#">3651.2</a> | ZRKS 2,5/1A/2S BG | 4044211177669 | 100            |

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 45.9 mm, Colour: Beige



| Article number          | Article name      | GTIN (EAN)    | Packaging unit |
|-------------------------|-------------------|---------------|----------------|
| <a href="#">17489.2</a> | ZST 2,5/9/1A/Q BG | 4044211205287 | 25 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 51 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>17490.2</u> | ZST 2,5/10/1A/Q BG | 4044211205294 | 25 ST          |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3673.2</u>  | ZST 2,5/1A/Q/Z BG | 4044211177843 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 20.4 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17484.2</u> | ZST 2,5/4/1A/Q BG | 4044211205232 | 50 ST          |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 35.7 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17487.2</u> | ZST 2,5/7/1A/Q BG | 4044211205263 | 25 ST          |



Feed-through terminal, Plug-in connection, Mounting type: Mounting rail TS 35/7.5, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3654.2</u>  | ZRKS 2,5/4S BG | 4044211177690 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 10.2 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17482.2</u> | ZST 2,5/2/1A/Q BG | 4044211205218 | 50 ST          |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 15.3 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17483.2</u> | ZST 2,5/3/1A/Q BG | 4044211205225 | 50 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 40.8 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17488.2</u> | ZST 2,5/8/1A/Q BG | 4044211205270 | 25 ST          |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 61.2 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>17492.2</u> | ZST 2,5/12/1A/Q BG | 4044211205317 | 10 ST          |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3672.2</u>  | ZST 2,5/1A/Q BG | 4044211177836 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 30.6 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17486.2</u> | ZST 2,5/6/1A/Q BG | 4044211205256 | 25 ST          |



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Black-yellow

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>3638.2</u>  | ZSLN 2,5/2A-D BKYE | 4044211080570 | 100 ST         |



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Black-yellow

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>3639.2</u>  | ZSLN 2,5/2A-RC BKYE | 4044211080556 | 100 ST         |

---

### ##INVERSE##CONTA-CONNECT

---



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 11.1 mm, Colour: Black-yellow

| Article number | Article name         | GTIN (EAN)    | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>3640.2</u>  | ZSLN 2,5/2A-D/F BKYE | 4044211080563 | 50 ST          |

---