


May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.




- Notes
- 1 SMT lead CO-PLANARITY : 0.1 max.
 - 2 Tube package is applied for this product. Please refer to the sheet 2/3 for the details.
 - 3 For modification, etc., preventive hole for sink mark may be added according to circumstances.

△ Added precaution

2	PHOSPHOR BRONZE	Contact: Gold plating 0.1 μm min. Lead: Gold plating 0.03 μm min. Under: Nickel plating 0.5 μm min.	4	PVC	Cap					
1	PPS	Light brown, UL94V-0	3	PVC	Tube					
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS					
UNITS	mm	SCALE	5 : 1	COUNT	1	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE	
		△		DIS-F-00006410		KS. NAKAJIMA		HT. YAMAGUCHI		20200803
APPROVED : NH. NAKATA		20161121		DRAWING NO.		EDC-150736-91-00				
CHECKED : HT. YAMAGUCHI		20161121		PART NO.		FX8-80P-SV(91)				
DESIGNED : MT. ITANO		20161121		CODE NO.		CL578-0003-1-91				
DRAWN : MT. ITANO		20161121				△ 1/3				

May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

Drawing for packing (free)



Notes 4 1 tube : 17 connectors.

HRS	DRAWING NO.	EDC-150736-91-00
	PART NO.	FX8-80P-SV(91)
	CODE NO.	CL578-0003-1-91
		2/3

May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.


【 Precaution 】

When a board with multiple connectors mounted is mated, the connector may be damaged or deformed.
Please divide one side of the board so only one connector is mated per board.

OK



NG



HRS DRAWING FOR REFERENCE

HRS	DRAWING NO.	EDC-150736-91-00
	PART NO.	FX8-80P-SV(91)
	CODE NO.	CL578-0003-1-91
		3/3