



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	3	RELEASED AS PER ECO-17-009529	03JUL2017	PV	MP

a) Part as supplied.



b) Part after unrestricted recovery.



NOTES:

- Raychem Connector Code: 54
- Connector Series: MIL-C-5015 (MS3400)
- Adaptor Series: 203MO\*\*-19-B\*\*-K-NS (Olive Drab);  
Aluminium Alloy to BS1474 HE30TF, FC1 or 6262  
Cadmium per QQ-P-416, Type II, Class 3  
Over appropriate under plate,  
Per MIL-C-85049 (500 hour salt spray)
- Moulded Part Material: -25C (Black); Elastomer/Silver Composites, Fluid Resistant
- Kits to include cleaning tissue, 1 piece 100 grit emery cloth & packing piece.
- Kit to be used in conjunction with installation guide for straight assemblies.

Dimensions in mm [inches for reference]

Part No.	Shell Size	B DIA MAX	D DIA MIN	J		P ±10% b	L REF a	JO REF b	JW ±30% b
				MIN a	MAX b				
KTKK0840	8&8S	15.5 [.61]	6.3 [.25]	8 [.31]	5 [.2]	55 [2.17]	49 [1.93]	15 [.59]	1.0 [.04]
KTKK0841	10,10S&10SL	18.5 [.73]	9.3 [.37]	13 [.51]	6 [.24]	70 [2.76]	64 [2.52]	17 [.67]	1.0 [.04]
KTKK0842	12&12S	21.8 [.86]	12.7 [.5]	15 [.59]	7.2 [.28]	82 [3.23]	76 [2.99]	20 [.79]	1.0 [.04]
KTKK0843	14&14S	24.5 [.96]	14.2 [.56]	15 [.59]	7.2 [.28]	82 [3.23]	76 [2.99]	20 [.79]	1.0 [.04]
KTKK0844	16&16S	27.5 [1.08]	17.8 [.7]	19 [.75]	8.5 [.33]	95 [3.74]	86 [3.39]	25 [.98]	1.0 [.04]
KTKK0845	18	29.5 [1.16]	18.9 [.74]	19 [.75]	8.5 [.33]	95 [3.74]	86 [3.39]	25 [.98]	1.0 [.04]
KTKK0846	20	34 [1.34]	23 [.91]	24 [.94]	10 [.39]	120 [4.72]	108 [4.25]	30 [1.18]	1.2 [.05]
KTKK0847	22	37.3 [1.47]	23.7 [.93]	24 [.94]	10 [.39]	120 [4.72]	108 [4.25]	30 [1.18]	1.2 [.05]
KTKK0848	24	40.5 [1.59]	29.1 [1.15]	33 [1.3]	15.8 [.62]	145 [5.71]	130 [5.12]	30 [1.18]	1.5 [.06]

THIS DRAWING IS UNPUBLISHED.

ALL RIGHTS RESERVED.

COPYRIGHT 2016 By TE Connectivity

DIMENSIONS: mm [INCHES]	DWN P. VU 12OCT2016	MATERIAL SEE NOTES	FINISH SEE NOTES
	CHK N. NAGAR 12OCT2016	TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M. POPE 12OCT2016		
0 PLC ± -	PRODUCT SPEC	SIZE A4	
1 PLC ± -	—	CAGE CODE 00779	DRAWING NO C-KTKK0840-0848
2 PLC ± -	APPLICATION SPEC	RESTRICTED TO —	
3 PLC ± -	—	SCALE DNS	
4 PLC ± -	—	SHEET 1 OF 1	
ANGLES ± -	WEIGHT	REV 3	
CUSTOMER DRAWING			

