



698-960 & 1710-2700 MHz LTE WORLD BAND ANTENNA

Part Numbers: 2361492-1, 2361492-2

FEATURES & BENEFITS


- Adhesive backing on the PCB simplifies mounting within the device
- Omnidirectional coverage
- Efficient design reduces power usage
- No matching components required
- Ground-plane independent design

SPECIFICATIONS


Fraguanay Panga (MHz)	602.060	1710 2700	
Frequency Range (MHz)	698-960	1710-2700	
VSWR	< 3.6:1 < 2.5:1		
Efficiency	80%	70%	
Average Gain	-2.0dBi	-2.0dBi	
Peak Gain	3.0dBi	4.0dBi	
Power Handling	10 Watt cw		
Feed Point Impedance	50 ohms unbalanced		
Polarization	Linear		
Size	65 mm x 15 mm x 1.0 mm		
Weight	< 2.9 g		
Mounting	Adhesive Tape		
Mating Connector	MHF-type, refer to page6		
Cable (coazial)	1.13mm Dia. Refer to page6		
Operating Temperature	-40 to +85°C		
Storage Temperature	-40 to +85°C		
Hazardous Materials	A certificate of conformance is available from the product page on TE website.		



RF DATA




Efficiency



Data measured in free space and on plastic device enclosure




RADIATION PATTERN



Data measured in free space and on plastic device enclosure




RADIATION PATTERN



Data measured in free space and on plastic device enclosure



KEEP OUT AREA




Plastic

<u>NOTES</u>

- 1. Antenna designed to be mounted on plastic cover.
- 2. Area in blue indicates Keep Out Area.
- 3. For more information please call TE.

Dimension: mm Diagrams is not to scale

DIMENSIONS




Dimensions: mm Diagram is not to scale



MATING COMPONENTS TO PART NUMBERS AND DIMENSIONS

2361492-1	200	7.87	1.13	MHF-TYPE PLUG	RECEPTACLE (TE PN: 2337019- 1)	
2361492-2	50	1.97	1.13	MHF-TYPE PLUG	RECEPTACLE (TE PN: 2337019- 1)	
PART	MM	INCH	CABLE (OD)	CONNECTOR TYPE	PART NUMBER	IMAGE
NUMBER	CABLE I	ENGTH	Mm	(ON CABLE)	MATING COMPON	ENTS

PACKAGING



TE TECHNICAL SUPPORT CENTER

+1 (800) 522-6752
+1 (905) 475-6222
+52 (0) 55-1106-0800
+54 (0) 11-4733-2200
+49 (0) 6251-133-1999
+44 (0) 800-267666
+33 (0) 1-3420-8686
+31 (0) 73-6246-999
+86 (0) 400-820-6015

For phone numbers in other countries, go to te.com/support-center

te.com

TE Connectivity, TE Connectivity (logo) are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

 $\ensuremath{\textcircled{\sc 0}}$ 2020 TE Connectivity Ltd. family of companies All Rights Reserved.

01/2022

