


## **Specification Sheet**

Part Number: 170-03150





Easy access saves assembly time and allows for easy splicing or insertion of additional wires.

PET yarn construction offers excellent protection against cuts and abrasions.

Braided Sleeving, Hook & Loop, 1.25" Dia, PET, Black, 100 ft/bulk reel

Article Number 170-03150

Type BSHKLP1140B

Color Black (BK)

Quantity Per reel

**Product Description** 

Designed for the quick and easy management of wires, this expandable sleeving has an internal hook and loop strap that is able to adhere to its outer PET braid, delivering flexibility that allows it to fit around odd-shaped connectors. Its color-matched hook and loop closure provides for an easy on and off installation, as well as instant and convenient access for harness break-outs and networks. the primary application for this sleeving is the wrapping and bunching of cables in a deployed situation or when frequent access to cables is necessary.

| Short Description              | Braided Sleeving, Hook & Loop, 1.25" Dia, PET, Black, 100 ft/bulk reel |
|--------------------------------|--|
| Global Part Name               | BSHKLP1140B-PET-BK   |
|                                |  |
| Length L (Imperial)            | 100.0  |
| Length L (Metric)              | 30.48  |
| Bundle Diameter Min (Imperial) | 0.1  |
| Bundle Diameter Min (Metric)   | 2.54   |
| Bundle Diameter Max (Imperial) | 1.25   |
| Bundle Diameter Max (Metric)   | 31.8   |
| Diameter D (Imperial)          | 1.25   |
| Diameter D (Metric)            | 31.8   |
| Nominal Diameter (Imperial)    | 1.25   |
| Nominal Diameter (Metric)      | 31.8   |
| Wall Thickness WT (Imperial)   | 0.025  |
| Wall Thickness WT (Metric)     | 0.635  |

Material Polyester (PET)

Material Shortcut PET

Flammability FAR 25 UL 94 V-0

Halogen Free Yes

UV Resistant (Yes/No) No

Operating Temperature -94°F to +257°F (-70°C to +125°C)

Reach Compliant (Article 33)

Yes

ROHS Compliant Yes

UL Recognized (US) Yes

Package Quantity (Imperial) 100

Package Quantity (Metric) 30.48

Customs Number 5808100000