

# Data sheet

## 2966.0 AD 1/8 WH



Cover, Length: 26.5 mm, Width: 8 mm, Colour: White

**RAL:** 9010

### Business data

|  |               |
|--|---------------|
| Article number                             | 2966.0        |
| Article name                               | AD 1/8 WH     |
| GTIN (EAN)                                 | 4044211056957 |
| Packaging unit                             | 50            |
| Quantity unit                              | PC            |
| Weight per piece (not including packaging) | 0.35 g        |
| Weight per piece (including packaging)     | 0.37 g        |
| Unit of weight                             | G             |
| Customs number                             | 85389099      |
| Country of origin                          | DE            |
| Product description                        | Cover         |
| Colour                                     | White         |

# Data sheet

## 2966.0 AD 1/8 WH

---

### Technical data

---

#### Dimensions

|        |         |
|--------|---------|
| Length | 26.5 mm |
|--------|---------|

|       |      |
|-------|------|
| Width | 8 mm |
|-------|------|

#### Materials

|          |               |
|----------|---------------|
| Material | Polyamide 6.6 |
|----------|---------------|

|                          |     |
|--------------------------|-----|
| Flammability class UL 94 | V-2 |
|--------------------------|-----|

|                           |        |
|---------------------------|--------|
| Working temperature, min. | -40 °C |
|---------------------------|--------|

|                           |        |
|---------------------------|--------|
| Working temperature, max. | 105 °C |
|---------------------------|--------|

#### Environmental Product Compliance

|               |     |
|---------------|-----|
| REACH Conform | yes |
|---------------|-----|

|                      |            |
|----------------------|------------|
| REACH Reference date | 2023-01-17 |
|----------------------|------------|

|                                |    |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

|              |     |
|--------------|-----|
| RoHS Conform | yes |
|--------------|-----|


---

### Media

---


### Accessories

#### ##INVERSE##CONTA-CONNECT




Feed-through terminal for direct mount/block variant, Screw connection, Mounting type: Mounting surface, Rated cross-section: 10 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>1386.2</u>  | KBL 6-10/10-D BG | 4044211044275 | 10             |




Feed-through terminal/block variant, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1006.2</u>  | KBL 6-10 BG  | 4044211001414 | 10 ST          |




Feed-through terminal for direct mount/block variant, Screw connection, Mounting type: Mounting surface, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1389.2</u>  | KBL 6-10-D BG | 4044211044305 | 100            |




Feed-through terminal/block variant, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>1007.2</u>  | KBL 6-10 m.B. BG | 4044211001629 | 10 ST          |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige


| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1168.2</u>  | RK 6-10/35/SAS BG | 4044211128630 | 100            |



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige


| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1430.2</u>  | RK 6-10 Ex BG | 4044211044770 | 100            |

### ##INVERSE##CONTA-CONNECT




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1005.2</u>  | RK 6-10 BG   | 4044211001148 | 100            |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Black-yellow

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>1564.2</u>  | RK 6-10/PE BKYE | 4044211047351 | 100 ST         |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1578.2</u>  | RK 6-10/35 BG | 4044211047627 | 100            |