




Quality Products. Service Excellence.

Vertical Rack Cable Manager with Door *RB-VCM Series*

For use with Open Frame Racks



RACK BASICS®



Vertical cable managers facilitate cable organization for a single or multiple rack installation. The RB-VCM is cost-effective and includes a number of unique features to save you installation time.

Features

- Manager body and door are constructed of 16-gauge steel.
- All-steel construction with side and rear cut-outs for cable pass-through.
- Includes cable mounting lances for hook and loop cable organization.
- Mounts to either side of the open-frame rack (includes mounting hardware).
- The attached hinged door opens to one side and secures closed with two (2) small strips of the magnet.
- Horizontal stabilizers easily swing away for cable installation and swing back for structural support.
- Separated space easily allows for cables to be added or removed without fishing the cable.
- Manager and door finished in textured RAL9005 black powder paint finish.
- TAA-compliant for GSA Schedule purchases.
- RoHS and REACH compliant.
- Manufactured in North America.

Compatibility

- Designed specifically for the RB-2P but also compatible with:
- DRZ477
- DNRR**HDW Series
- DC4R Series
- RB-2PA Series

Looking for a Finger Manager?

- Single-Sided Vertical Finger Manager - **FRCM Series**
- Double-Sided Vertical Finger Manager - **VFM Series**

Part of the Rack Basics® line of economy rack solutions.

Accessories

- Vertical Cable Manager Extensions
- Hook and Loop Roll



| Part No. | Overall Dimensions (Inches) | | | Mounting Dimensions | | Door Included | Similar Size Part No. |
|----------|-----------------------------|-------|-------|---------------------|------------|---------------|-----------------------|
| | Height | Width | Depth | Units | Rack Units | | |
| RB-VCM24 | 47.00 | 6.00 | 5.00 | 42.00 | 24 | Yes | |
| RB-VCM44 | 82.00 | 6.00 | 5.00 | 77.00 | 44 | Yes | RRCM44UD |
| RB-VCM48 | 89.00 | 6.00 | 5.00 | 85.00 | 48 | Yes | RRCM48UD |

Estimated Cable Fill Capacities

| Part No. | Description | Opening Quantity | Recommended Cable Fill (50% Fill Ratio) | | Maximum Cable Fill (100% Fill Ratio) | |
|----------|-------------------|------------------|---|--------|--------------------------------------|--------|
| | | | Cat 6 | Cat 6a | Cat 6 | Cat 6a |
| RB-VCM44 | Channel Opening | 1 | 149 | 103 | 297 | 207 |
| | Side Opening | 2 x 19 = 38 | 31 | 21 | 61 | 42 |
| | Rear Pass Through | 10 | 28 | 19 | 55 | 38 |
| RB-VCM48 | Channel Opening | 1 | 149 | 103 | 297 | 207 |
| | Side Opening | 2 x 21 = 42 | 31 | 21 | 61 | 42 |
| | Rear Pass Through | 11 | 28 | 19 | 55 | 38 |

Cable Manager > Hammond Rack Compatibility

| Part No. | RB-2P | RB-2PA19 | RB-2PA23 | DNRR (19") | DNRR (23") | DC4R | DRZ4 |
|----------|---------|----------|----------|------------|------------|--------|------|
| RB-VCM24 | RB-2P24 | - | - | - | - | DC4R24 | - |

| Part No. | RB-2P | RB-2PA19 | RB-2PA23 | DNRR (19") | DNRR (23") | DC4R | DRZ4 |
|----------|---------|--------------|--------------|------------|--------------|--------|--------|
| RB-VCM44 | RB-2P77 | RB-2PA1945BK | RB-2PA2345BK | DNRR77HDW | DNRR2377HDWB | DC4R44 | DRZ477 |
| RB-VCM48 | RB-2P84 | - | - | DNRR84HDW | DNRR2384HDWB | - | - |

Tags: **Cable Duct***Data subject to change without notice*

© 2023. Hammond Manufacturing Ltd. All rights reserved.