

## 28163.8 PVC-TAPW 9X29 YE



Device and installation marker, Length: 29 mm, Width: 9 mm, Colour: Yellow

**RAL:** 1026

### Business data

Article number	28163.8
Article name	PVC-TAPW 9X29 YE
GTIN (EAN)	4044211212292
Packaging unit	1500
Quantity unit	PC
Number of markers per card	30 ST
Weight per piece (not including packaging)	0.32 g
Weight per piece (including packaging)	0.32 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Prio-Article	28163.7
Product description	Device and installation marker

## 28163.8 PVC-TAPW 9X29 YE

---

### Technical data

---

#### Dimensions

Length	29 mm
--------	-------

Width	9 mm
-------	------

#### Materials

Marker material	PVC
-----------------	-----

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-30 °C
---------------------------	--------

Working temperature, max.	60 °C
---------------------------	-------

Silicone-free	✓
---------------	---

#### Further technical data

Mounting	PS 9 Profil
----------	-------------

Software code	363
---------------	-----

#### Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

---

### Media

---

---

### Accessories

---

#### Printer

---



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

---

#### Inlays

---

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST

---