



Crimp lug, Ring shape acc. to DIN 46237, Max. wire cross-section: 6 mm², Colour: Yellow

RAL: 1026

Business data

| | |
|--|------------------------------|
| Article number | 2543.0 |
| Article name | QKS 6 |
| GTIN (EAN) | 4044211053369 |
| Connector shape | Ring shape acc. to DIN 46237 |
| Product-compliant (according to DIN) | yes |
| Packaging unit | 100 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 1.97 g |
| Weight per piece (including packaging) | 2.02 g |
| Unit of weight | G |
| Customs number | 85369010 |
| Country of origin | TW |
| Product description | Crimp |
| Colour | Yellow |

Technical data

Dimensions

| | |
|---|---------|
| Length (input to middle of the ring hole) | 23 mm |
| Width of ring | 11 mm |
| Ring hole diameter | 6.5 mm |
| Diameter of feed-in funnel | 6.5 mm |
| Size DIN | A 6 - 6 |

Connection data

| | |
|------------------------------|-------------------|
| Wire cross-section, min. | 4 mm ² |
| Wire cross-section, max. | 6 mm ² |
| Wire cross-section AWG, min. | 12 |
| Wire cross-section AWG, max. | 10 |

Materials

| | |
|---------------------------|------------------------|
| Connector material | Copper |
| Surface | Tin-plated |
| insul. | Expanded PA insulation |
| Working temperature, min. | -55 °C |
| Working temperature, max. | 105 °C |

Further technical data

| | |
|----------------------|---|
| Insulation available | ✓ |
| Soldered | ✓ |

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2023-01-17 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Data sheet

2543.0 QKS 6



Approvals

Standards and regulations

Standards / specifications

DIN EN 13599

Data sheet

2543.0 QKS 6



Media

Accessories
