

Han-Easy Lock ® 16A, SL



Image is for illustration purposes only. Please refer to product description.

| | |
|--------------------|---|
| Part number | 09 00 000 5225 |
| Specification | Han-Easy Lock ® 16A, SL |
| HARTING eCatalogue | https://b2b.harting.com/09000005225 |

Identification

| | |
|--------------------------|----------------|
| Category | Accessories |
| Series of hoods/housings | Han A® |
| Type of accessory | Locking levers |

Version

| | |
|----------------|----------------------|
| Size | 16 A |
| Locking type | Single locking lever |
| Han-Easy Lock® | Yes |

Material properties

| | |
|--|---|
| Material (accessories) | Polycarbonate (PC) Stainless steel |
| Colour (accessories) | RAL 7037 (dust grey) |
| Material flammability class acc. to UL 94 (locking levers) | V-0 |
| RoHS | compliant |
| ELV status | compliant |
| China RoHS | e |
| REACH Annex XVII substances | Not contained |
| REACH ANNEX XIV substances | Not contained |
| REACH SVHC substances | Yes |
| REACH SVHC substances | Potassium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate |
| ECHA SCIP number | 60b1a572-bb3f-476f-9307-b7d1688bd90c |
| California Proposition 65 substances | Yes |



Pushing Performance
Since 1945

Material properties

| | |
|--------------------------------------|------------------------------|
| California Proposition 65 substances | Nickel |
| Fire protection on railway vehicles | EN 45545-2 (2020-08) |
| Requirement set with Hazard Levels | R22 (HL 1-3) R23 (HL 1-3) |

Commercial data

| | |
|--------------------------------|----------------------------------|
| Packaging size | 10 |
| Net weight | 20.34 g |
| Country of origin | Germany |
| European customs tariff number | 85389099 |
| GTIN | 5713140002302 |
| eCl@ss | 27440392 Connector (accessories) |