


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS				DATE	DWN	APVD
P	LTR	DESCRIPTION				
	L	REV PER ECO 15-000491	4-24-15	CT	CD	



1. THIS PART CONFORMS TO REQUIREMENTS FOR DANIELS CRIMP TOOL NO. FT8, WITH DANIELS POSITIONER PART NO. TP731, STRIP LENGTH .375, #16 AWG SETTING 8, #18 AWG SETTING 6.
- 2 MATES WITH 212014-1 IN AMPLIMITE CONNECTOR ASSEMBLIES ONLY.
- 3 FINISH: PLATED GOLD .000050 [0.00127] MIN THK PER ASTM-B-488 OVER NICKEL .000050 [0.00127] MIN THK PER QQ-N-290.
- 4 FINISH: PLATED GOLD .000030 [0.00076] MIN THK PER ASTM-B-488 OVER NICKEL .000050 [0.00127] MIN THK PER QQ-N-290.
5. WIRE BARREL WILL ACCEPT #16-#18 AWG WIRE.
- 6 NOT FOR GENERAL DISTRIBUTION; ONLY TO BE USED IN IBM BLUE GENE CONNECTOR ASSEMBLIES.
- 7 RESTRICTED PART NUMBER.
- 8 FINISH:
MATING AREA: GOLD PER ASTM-B-488 (TYPE II) OVER NICKEL PER AMS-QQ-N-290
NON-MATING AREA: GOLD STRIKE PER ASTM-B-488 OVER NICKEL PER AMS-QQ-N-290
- 9 DIMENSION MUST BE MEASURED USING A RING GAGE.

PRELIMINARY- NOT RELEASED FOR PRODUCTION	.948 [24.08]	6	3	1-212013-1
PRELIMINARY- NOT RELEASED FOR PRODUCTION	.870 [22.10]	2	4	212013-3
	.870 [22.10]	2	8	212013-2
				212013-1
	DIM A	REMARKS	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN C.C.THOMAS 11/10/00	 TE Connectivity ASSEMBLY, PIN CONTACT POWER VIII, #16 & #18 AWG
	0 PLC ± -	CHK D.MILLER 11/10/00	
	1 PLC ± -	APVD D.MILLER 11/10/00	
	2 PLC ± -	PRODUCT SPEC 108-10045	
MATERIAL SEE CALLOUTS	FINISH SEE TABLE	APPLICATION SPEC 114-10014	NAME SIZE CAGE CODE DRAWING NO RESTRICTED TO A2 00779 C-212013 -
		WEIGHT -	SCALE 10:1 SHEET 1 of 1 REV L

CUSTOMER DRAWING