# **Data sheet** 2491.5 K 4/6 BU



Cap, Colour: Blue

RAL: Ähnlich 5005

### **Business data**

<u>2491.5</u>
K 4/6 BU
4044211052911
50
PC
0.9 g
0.91 g
G
85389099
DE
2491.2
Сар

# **Data sheet** 2491.5 K 4/6 BU



Materials		
Material	Polyamide 6.6	
Flammability class UL 94	V-2	
Working temperature, min.	-40 °C	
Working temperature, max.	105 °C	
Further technical data		
Mounting type	Plug in	
Environmental Product Compliance		
REACH Conform	yes	
REACH Candidate Substance Note	No	
RoHS Conform	yes	

## Data sheet 2491.5 K 4/6 BU



Media

## **Data sheet**

## 2491.5 K 4/6 BU



### **Accessories**

#### **Terminal blocks**



Clamping yoke, Screw connection, Mounting type: Can be screwed on, Rated cross-section: 4 mm², Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
2486.1	ZB 4/6/K GNYE	4044211052799	50

#### ##INVERSE##CONTA-CONNECT



Clamping yoke, Screw connection, Mounting type: Can be screwed on, Rated cross-section: 4 mm², Colour: natural

Article number	Article name	GTIN (EAN)	Packaging unit
2328.0	ZB 4/6	4044211051136	50 ST



Clamping yoke, Screw connection, Mounting type: Can be screwed on, Rated cross-section: 4 mm², Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
2486.1	ZB 4/6/K GNYE	4044211052799	50