



7	8
COUNT DESCRIPTION OF REVISIONS BY CHKD DATE	COUNT DESCRIPTION OF REVISIONS BY CHKD DATE



3, 4	PHOSPHOR BRONZE	TIN-PLATING	2	PHOSPHOR BRONZE	DESIGNED	CHECKED	APPROVED	RELEASED
1	LCP	BEIGE	UL94V-0		K. NAKAMURA	K. NAKAMURA	H. Okawa	
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS	FINISH, REMARKS	FINISH, REMARKS	FINISH, REMARKS

CONTACT AREA: GOLD	0.1 μm min.
LEAD AREA: GOLD FLASH	
UNDER PLATING: NICKEL	1 μm min.

DRAWING NO.	PART NO.
EDC3-152635-25	FX11A-120S/12-SV(71)

SCALE	UNITS
5 : 1	mm

CODE NO. (COLD)	CL

- NOTES
- 12 HATCHED PARTS: GROUND CIRCUIT.
 - 2 HATCHED PARTS: GROUND CIRCUIT.
 - 3 SMT LEAD-COPLANARITY: 0.1 MAX.
 - 4 THIS PRODUCT HAS NO POLARITY TO PATTERN FOR MOUNTING.
 - 5 MAKE SURE WIDTH OF PATTERN IS WITHIN THAT OF LAND, OR LEAD MAY TOUCH PATTERN. (THIS APPLIES TO HATCHED AREA.)
 - 6 DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.

TO
 PCK