

28267.8 PC-CPM-13 E 6X12/48 YE

Terminal marker, Length: 12 mm, Width: 6 mm, Colour: Yellow

RAL: 1026

Business data

Article number	<u>28267.8</u>
Article name	PC-CPM-13 E 6X12/48 YE
GTIN (EAN)	4044211211868
For manufacturer type	ABB (SNK, ZS)
Packaging unit	1680
Quantity unit	PC
Number of markers per card	48 ST
Weight per piece (not including packaging)	0.27 g
Weight per piece (including packaging)	0.28 g
Unit of weight	G
Customs number	39269097
Country of origin	IT
Prio-Article	28267.7
Product description	Terminal marker

28267.8 PC-CPM-13 E 6X12/48 YE

Technical data

Dimensions

Length	12 mm
--------	-------

Width	6 mm
-------	------

Materials

Marker material	Polycarbonate
-----------------	---------------

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	130 °C
---------------------------	--------

Halogen-free	✓
--------------	---

Silicone-free	✓
---------------	---

Further technical data

Mounting	Individually
----------	--------------

Software code	114
---------------	-----

Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media

28267.8 PC-CPM-13 E 6X12/48 YE

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28028.0</u>	CCI-PC-CPM-13	4044211207960	1 ST
