



Insulated cross-connector, No. of poles: 8, Mounting type: Plug in, Width: 32.7 mm, Colour: Yellow

### **RAL:** 1026

### **Business data**

Article number	<u>3458.8</u>
Article name	FQI 1,5/8 YE
GTIN (EAN)	4044211110703
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	4 g
Weight per piece (including packaging)	4.1 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Prio-Article	3458.8
Product description	Insulated cross-connector

# Data sheet 3458.8 FQI 1,5/8 YE



### **Technical data**

Dimensions		
Length	4 mm	
Width	32.7 mm	
Pitch size	4.1 mm	
Ratings		
Max. voltage	800 V	
Rated current	17.5 A	
Current load, max.	17,5 A	
Rated cross-section	1.5 mm <sup>2</sup>	
Connection data		
No. of poles	8	
Materials		
Material	Copper	
Surface	Tin-nickel	
Insulation housing	Polyamide 6.6	
Flammability class UL 94	V-2	
Working temperature, min.	-40 °C	
Working temperature, max.	105 °C	
Further technical data		
Mounting type	Plug in	
Insulation available	$\checkmark$	
Touch protection is available	$\checkmark$	
Number of bridged terminals	8	
Environmental Product Compliance		
REACH Conform	yes	
REACH Candidate Substance Note	No	
RoHS Conform	yes	

# Data sheet 3458.8 FQI 1,5/8 YE

Media



# Data sheet 3458.8 FQI 1,5/8 YE



### Accessories

#### ##INVERSE##CONTA-CONNECT

	Feed-through terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm <sup>2</sup> , Width: 4.1 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
	3202.2	FRK 1,5/4A BG	4044211109684	100
Amplet	Feed-through terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm <sup>2</sup> , Width: 4.1 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
	Article number	Article name FRK 1,5/2A BG	GTIN (EAN) 4044211109530	
	3200.2 Feed-through t		4044211109530 ype: Mounting rail TS 3	unit 100
	3200.2 Feed-through t	FRK 1,5/2A BG erminal, Push-in connection, Mounting t	4044211109530 ype: Mounting rail TS 3	unit 100

#### ##INVERSE##CONTA-CONNECT



Feed-through terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm<sup>2</sup>, Width: 4.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3201.2	FRK 1,5/3A BG	4044211109615	100