HellermannTyton

Specification Sheet

Part Number: MK9P

Tool made of heavy duty parts to ensure optimum performance in demanding environments.

Ideal for heavy-duty ties (T50-T250), clamp and button head ties.

Same ergonomic improvements as the MK7P.

Low weight, comfortable grip and easy trigger depression.

Very durable, with adjustable, easy to read tension settings.

Lock-out features available.

Comes with lower air attachment, and optional upper air attachment.



MK9 Pneumatic, Handle Air Supply Connection, Plastic Housing, 1/Pkg

Article Number 110-09101

Type MK9P

Color Black (BK)

Quantity Per carton

| Product Description | The Mark 9 Pneumatic (MK9P) is constructed with heavy duty parts to ensure that it performs optimally in demanding environments. It is ideally designed to apply heavy-duty ties (T50-T250), clamp and button head ties. Like the MK7P, HellermannTyton's MK9P incorporates the next level of ergonomic improvement with its low weight, comfortable grip and easy trigger depression. Very durable, the pneumatic MK9P features adjustable, easy to read tension settings. Lock-out features are available. The MK9P is available with lower air attachment (standard) or can be ordered with an upper air attachment. |
|--------------------------------|---|
| Short Description | MK9 Pneumatic, Handle Air Supply Connection, Plastic Housing, 1/Pkg |
| Global Part Name | MK9P-PA66GF30-BK |
| Cable Ties | T50 thru T250 Series CTT20 thru CTT175 Series El-TY Series Button Head Series |
| Cycle Time | 2 strokes per second |
| Tension Setting Tools | Adjustable |
| Cable Tie Width Max (Imperial) | 0.5 |
| | |

Dry or lubricated air

Material Polyamide 6.6, glass fiber reinforced (PA66GF30%)

Material Shortcut PA66GF30

UV Resistant (Yes/No) No

Power Supply

| Reach Compliant (Article 33) | No |
|------------------------------|------------|
| ROHS Compliant | Yes |
| | |
| Package Quantity (Imperial) | 1 |
| Package Quantity (Metric) | 1 |
| Customs Number | 8467195090 |

© 2023 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions