



End plate, Width: 1.5 mm, Colour: White

RAL: 9010

Business data

Article number	2001.7
Article name	AP 2,5-10 WH
GTIN (EAN)	4044211048013
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	2.2 g
Weight per piece (including packaging)	2.29 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Prio-Article	2001.2
Product description	End plate



Technical data

Dimensions	
Length	48 mm
Width	1.5 mm
Min. thickness	1.5 mm
Height	31.5 mm
Materials	
Material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Designed as end plate	\checkmark
Snap-on available	\checkmark
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Media



ZCONTACLIP

Accessories

##INVERSE##CONTA-CONNECT

	Feed-through terminal, Faston Spade connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Width: 6 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
	1014.2	FF 2,5 BG	4044211003203	100
	•	erminal, Faston Spade connection / scre rail TS 35/7.5 and TS 32, Rated cross-se		•
FUT T	Article number	Article name	GTIN (EAN)	Packaging unit
	1019.2	SF 2,5-4 BG	4044211004323	100 ST
	Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm ² , Width: 8 mm, Colour: Green-yellow			
	Article number	Article name	GTIN (EAN)	Packaging unit
	Article number	Article name SSL 6/2A GNYE	GTIN (EAN) 4044211141769	
	<u>17111.2</u> Protective earth		4044211141769 type: Mounting rail TS	unit 100 ST
	<u>17111.2</u> Protective earth	SSL 6/2A GNYE	4044211141769 type: Mounting rail TS	unit 100 ST
	17111.2 Protective earth Rated cross-se	SSL 6/2A GNYE n terminal, Screw connection, Mounting ction: 2.5 mm ² , Width: 5 mm, Colour: Gi	4044211141769 type: Mounting rail TS reen-yellow	unit 100 ST 35/7.5, Packaging
	<u>17111.2</u> Protective earth Rated cross-se Article number <u>17103.2</u> Feed-through to	SSL 6/2A GNYE n terminal, Screw connection, Mounting ction: 2.5 mm², Width: 5 mm, Colour: Gi Article name	4044211141769 type: Mounting rail TS reen-yellow GTIN (EAN) 4044211141684	unit 100 ST 35/7.5, Packaging unit 100 ST
	<u>17111.2</u> Protective earth Rated cross-se Article number <u>17103.2</u> Feed-through to	SSL 6/2A GNYE n terminal, Screw connection, Mounting ction: 2.5 mm ² , Width: 5 mm, Colour: Gr Article name SSL 2,5/2A GNYE erminal, Screw connection, Mounting typ	4044211141769 type: Mounting rail TS reen-yellow GTIN (EAN) 4044211141684	unit 100 ST 35/7.5, Packaging unit 100 ST



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Green-yellow

	Article number	Article name	GTIN (EAN)	Packaging unit
-	17107.2	SSL 4/2A GNYE	4044211141721	100 ST



##INVERSE##CONTA-CONNECT



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17115.2	SSL 10/2A GNYE	4044211141806	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Black-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17132.2	SRK 6/2A/PE BKYE	4044211200718	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17100.2	SRK 2,5/2A BG	4044211141653	100



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17113.2	SRK B 10/2A BG	4044211141783	100



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Black-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17129.2	SRK 2,5/2A/PE BKYE	4044211200688	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Black-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17155.2	SRK 4/2A/PE BKYE	4044211186692	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17104.2	SRK 4/2A BG	4044211141691	100



##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17105.2	SRK B 4/2A BG	4044211141707	100 ST

Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17109.2	SRK B 6/2A BG	4044211141745	100 ST

Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated

cross-section: 16 mm², Width: 10 mm, Colour: Beige





Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

3	Article number	Article name	GTIN (EAN)	Packaging unit
	17119.2	SRK 2,5/2A SAS BG	4044211149048	80



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17101.2	SRK B 2,5/2A BG	4044211141660	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17102.2	SRK 2,5/2A/Z BG	4044211141677	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17108.2	SRK 6/2A BG	4044211141738	100



##INVERSE##CONTA-CONNECT

	Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
N -	17110.2	SRK 6/2A/Z BG	4044211141752	100 ST
	•	erminal, Screw connection, Mounting 16 mm², Width: 10 mm, Colour: Beige		S 35/7.5, Rated
	Article number	Article name	GTIN (EAN)	Packaging unit
7	17114.2	SRK 10/2A/Z BG	4044211141790	100
	Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm ² , Width: 8 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
	17117.2	SRK 6/2A SAS BG	4044211149000	80
	Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm ² , Width: 10 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging
				unit



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17116.2	SRK 4/2A SAS BG	4044211148980	80



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Black-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17133.2	SRK 10/2A/PE BKYE	4044211200725	100 ST



##INVERSE##CONTA-CONNECT



Terminal block for temperature measuring circuits, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 10 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1200.2	TSK 2,5/T BG	4044211027667	50 ST



Terminal block for temperature measuring circuits, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 10 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1201.2	TSK 2,5/J BG	4044211027803	50 ST



Terminal block for temperature measuring circuits, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 10 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1203.2	TSK 2,5/K BG	4044211028022	50 ST



Terminal block for temperature measuring circuits, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 10 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1205.2	TSK 2,5/R BG	4044211028060	50 ST



Terminal block for temperature measuring circuits, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 10 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1204.2	TSK 2,5/S BG	4044211028046	50 ST



Four-wire motor-connection block, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Colour: Multi-coloured

Article number	Article name	GTIN (EAN)	Packaging unit
1520.2	VMAB 2,5	4044211046613	10 ST



##INVERSE##CONTA-CONNECT

C C C C		r-connection block, Screw connection 32, Rated cross-section: 4 mm ² , Color		ting rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
-	1521.2	VMAB 2,5-4	4044211046682	10 ST	
		s-connection block, Screw connection 32, Rated cross-section: 4 mm ² , Color	••••	ting rail TS	
C C C O C PE N L1 L2 L3	Article number	Article name	GTIN (EAN)	Packaging unit	
	1524.2	FNAB 2,5-4	4044211046781	10 ST	
		s-connection block, Screw connection 32, Rated cross-section: 10 mm ² , Colo	••••	ting rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
	1525.2	FNAB 6-10	4044211046804	10 ST	
	Five-wire mains-connection block, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm ² , Colour: Multi-coloured				
0 0 0 6 6 PE N L1 L2 L3	Article number	Article name	GTIN (EAN)	Packaging unit	
	1523.2	FNAB 2,5	4044211046729	10 ST	
PE U V W		r-connection block, Screw connection 32, Rated cross-section: 10 mm ² , Cole	· · · · · ·	ting rail TS	
			· · · · · ·	ting rail TS Packaging unit	
	35/7.5 and TS	32, Rated cross-section: 10 mm ² , Colo	our: Multi-coloured	Packaging	
	35/7.5 and TS Article number 1522.2 Feed-through t	32, Rated cross-section: 10 mm², Cole Article name	GTIN (EAN) 4044211046699	Packaging unit 10 ST	
	35/7.5 and TS Article number 1522.2 Feed-through t	32, Rated cross-section: 10 mm ² , Cole Article name VMAB 6-10 erminal, Screw connection, Mounting	GTIN (EAN) 4044211046699	Packaging unit 10 ST	



0

Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
1001.2	RK 2,5-4 BG	4044211000240	100



##INVERSE##CONTA-CONNECT



Article number	Article name	GTIN (EAN)	Packaging unit
<u>1166.2</u>	RK 2,5/SAS BG	4044211128616	100



Article number	Article name	GTIN (EAN)	Packaging unit
1167.2	RK 2,5-4/35/SAS BG	4044211128623	100



##INVERSE##CONTA-CONNECT

Ex feed-through terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm ² , Width: 6 mm, Colour: Beige			
Article number	Article name	GTIN (EAN)	Packaging unit
1427.2	RK 2,5-4 Ex BG	4044211044732	100
Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm ² , Width: 8 mm, Colour: Beige			
Article number	Article name	GTIN (EAN)	Packaging unit
1005.2	RK 6-10 BG	4044211001148	100
	h terminal ATEX-certified, Scre TS 32, Rated cross-section: 2.		
			Packaging
Article number	Article name	GTIN (EAN)	unit
Article number	Article name RK 2,5 Ex BG	4044211044718	
1426.2 Ex feed-throug		4044211044718 ew connection, Mounting typ	unit 100 e:Mounting rail
1426.2 Ex feed-throug	RK 2,5 Ex BG h terminal ATEX-certified, Scre	4044211044718 ew connection, Mounting typ	unit 100 e:Mounting rail
1426.2 Ex feed-throug TS 35/7.5 and	RK 2,5 Ex BG terminal ATEX-certified, Scre TS 32, Rated cross-section: 16	4044211044718 ew connection, Mounting typ 5 mm², Width: 12 mm, Colou	unit 100 e:Mounting rail r: Beige Packaging
1426.2Ex feed-througTS 35/7.5 andArticle number1431.2Feed-through	RK 2,5 Ex BG terminal ATEX-certified, Scre TS 32, Rated cross-section: 16 Article name	4044211044718 ew connection, Mounting typ 5 mm², Width: 12 mm, Colou GTIN (EAN) 4044211044787 punting type: Mounting rail T	unit 100 e:Mounting rail ir: Beige Packaging unit 50
1426.2Ex feed-througTS 35/7.5 andArticle number1431.2Feed-through	RK 2,5 Ex BG th terminal ATEX-certified, Scre TS 32, Rated cross-section: 16 Article name RK 16 Ex BG terminal, Screw connection, Mo	4044211044718 ew connection, Mounting typ 5 mm², Width: 12 mm, Colou GTIN (EAN) 4044211044787 punting type: Mounting rail T	unit 100 e:Mounting rail ir: Beige Packaging unit 50
1426.2Ex feed-througTS 35/7.5 andArticle number1431.2Feed-through to cross-section:	RK 2,5 Ex BG th terminal ATEX-certified, Scre TS 32, Rated cross-section: 16 Article name RK 16 Ex BG terminal, Screw connection, Mo 4 mm ² , Width: 6 mm, Colour: E	4044211044718 ew connection, Mounting typ 5 mm², Width: 12 mm, Colou GTIN (EAN) 4044211044787 punting type: Mounting rail T Beige	unit 100 e:Mounting rail r: Beige Packaging unit 50 S 35/7.5, Rated Packaging
1426.2Ex feed-througTS 35/7.5 andArticle number1431.2Feed-through f cross-section:Article number1577.2Feed-through f Eed-through f	RK 2,5 Ex BG th terminal ATEX-certified, Scre TS 32, Rated cross-section: 16 Article name RK 16 Ex BG terminal, Screw connection, Mo 4 mm ² , Width: 6 mm, Colour: E Article name	4044211044718 ew connection, Mounting typ 5 mm², Width: 12 mm, Colou GTIN (EAN) 4044211044787 ounting type: Mounting rail T Beige GTIN (EAN) 4044211047566	unit 100 e:Mounting rail r: Beige Packaging unit 50 S 35/7.5, Rated Packaging unit 100
1426.2Ex feed-througTS 35/7.5 andArticle number1431.2Feed-through f cross-section:Article number1577.2Feed-through f Eed-through f	RK 2,5 Ex BG terminal ATEX-certified, Scree TS 32, Rated cross-section: 16 Article name RK 16 Ex BG terminal, Screw connection, Mo 4 mm ² , Width: 6 mm, Colour: E Article name RK 2,5-4/35 BG terminal, Screw connection, Mo	4044211044718 ew connection, Mounting typ 5 mm², Width: 12 mm, Colou GTIN (EAN) 4044211044787 ounting type: Mounting rail T Beige GTIN (EAN) 4044211047566	unit 100 e:Mounting rail r: Beige Packaging unit 50 S 35/7.5, Rated Packaging unit 100

Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Black-yellow

Article	number	Article name	GTIN (EAN)	Packaging unit
1564.2		RK 6-10/PE BKYE	4044211047351	100 ST



##INVERSE##CONTA-CONNECT

	Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm ² , Width: 8 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
	1578.2	RK 6-10/35 BG	4044211047627	100
	•	terminal, Screw connection, Mounting 10 mm², Width: 8 mm, Colour: Black	•••••••••••••••••••••••••••••••••••••••	S 35/7.5, Rated
	Article number	Article name	GTIN (EAN)	Packaging unit
9	1749.4	RK 6-10 PA-G BK	4044211141141	100 ST
		terminal, Screw connection, Mounting 16 mm ² , Width: 10 mm, Colour: Beig Article name		Packaging unit
N	87807.2	SRK 10/2A Ex BG	4044211199807	100
	•	terminal, Screw connection, Mounting 10 mm², Width: 8 mm, Colour: Beige		S 35/7.5, Rated
	Article number	Article name	GTIN (EAN)	Packaging unit
1				
	87805.2	SRK 6/2A Ex BG	4044211199777	100
	Feed-through	SRK 6/2A Ex BG terminal, Screw connection, Mounting 10 mm ² , Width: 8 mm, Colour: Beige	g type: Mounting rail T	
	Feed-through	terminal, Screw connection, Mounting	g type: Mounting rail T	

Article number	Article name	GTIN (EAN)	Packaging unit
87805.2	SRK 6/2A Ex BG	4044211199777	100