

External insulated cross-connector, No. of poles: 95, Mounting type: Plug in, Rated current: 27 A; Colour: Yellow

RAL: 1026

Business data

Article number	2030.0
Article name	AQI 95/5/15 YE
GTIN (EAN)	4044211080693
Packaging unit	5
Quantity unit	PC
Weight per piece (not including packaging)	34.2 g
Weight per piece (including packaging)	34.5 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	External insulated cross-connector
Colour	Yellow

Data sheet 2030.0 AQI 95/5/15 YE



Technical data

Dimensions	
Pitch size	5 mm
Ratings	
Rated current	27 A
Contamination degree	3
Connection data	
No. of poles	95
Materials	
Material	Copper
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	95
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2023-01-17
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet 2030.0 AQI 95/5/15 YE

Media



Data sheet 2030.0 AQI 95/5/15 YE

Accessories

