

3794.9 ZAP SR 3A/15 RD



End plate, Width: 1.6 mm, Colour: Red

Business data

| | |
|--|-----------------|
| Article number | 3794.9 |
| Article name | ZAP SR 3A/15 RD |
| GTIN (EAN) | 4044211108311 |
| Packaging unit | 50 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 1.84 g |
| Weight per piece (including packaging) | 1.89 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Prio-Article | 3794.2 |
| Product description | End plate |

Technical data

Dimensions

| | |
|--------|---------|
| Length | 52.5 mm |
| Width | 1.6 mm |
| Height | 28.7 mm |

Materials

| | |
|---------------------------|---------------|
| Material | Polyamide 6.6 |
| Flammability class UL 94 | V-2 |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 105 °C |

Further technical data

| | |
|-----------------------|---|
| Designed as end plate | ✓ |
| Snap-on available | ✓ |

Environmental Product Compliance

| | |
|--------------------------------|-----|
| REACH Conform | yes |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media

Accessories

##INVERSE##CONTA-CONNECT




Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>3601.2</u> | ZSLN 2,5/3A/15 GNYE | 4044211152048 | 100 ST |




Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------|---------------|----------------|
| <u>1710.2</u> | ZSLN 2,5/3A/15 Ex GNYE | 4044211059651 | 100 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>3599.2</u> | ZSRK 2,5/3A/15 BG | 4044211152024 | 100 |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>1701.2</u> | ZSRK 2,5/3A/15 Ex BG | 4044211059590 | 100 |