


May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.




- Notes
- 1 SMT lead CO-PLANARITY : 0.1 max.
 - 2 Tube package is applied for this product. Please refer to the sheet 2/3 for the details.
 - 3 For modification, etc., preventive hole for sink mark may be added according to circumstances.

Added precaution

2	PHOSPHOR BRONZE	Contact: Gold plating 0.1 μ m min. Lead: Tin-plating 1 μ m min. Under: Nickel plating 1 μ m min.	4	PVC	Cap
1	PPS	Light brown. UL94V-0	3	PVC	Tube
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS
UNITS		SCALE	COUNT	DESCRIPTION OF REVISIONS	
mm		5 : 1	1	DIS-F-00006411	
APPROVED : NH. NAKATA		20161121	DRAWING NO. EDC-150737-91-00		
CHECKED : HT. YAMAGUCHI		20161121	PART NO. FX8-80P-SV1(91)		
DESIGNED : MT. ITANO		20161121	CODE NO. CL578-0043-6-91		
DRAWN : MT. ITANO		20161121	1/3		

May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

Drawing for packing (free)



Notes 4 1 tube : 17 connectors.

HRS	DRAWING NO.	EDC-150737-91-00
	PART NO.	FX8-80P-SV1(91)
	CODE NO.	CL578-0043-6-91

2/3



May.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

【 Precaution 】

When a board with multiple connectors mounted is mated, the connector may be damaged or deformed.
Please divide one side of the board so only one connector is mated per board.

OK

NG



HRS	DRAWING NO.	EDC-150737-91-00
	PART NO.	FX8-80P-SV1(91)
	CODE NO.	CL578-0043-6-91
		3/3