


EVAL-L5965 evaluation board



Features

- Battery compatible
- 5 pre-programmed voltage rails
- 2 voltage rails controllable from SPI
- SPI connector for diagnostics

Description

The EVAL-L5965 is a demonstration board for evaluating the performance of L5965, PMIC for ADAS systems.

It is already programmed in order to use Buck2 at 3.3 V as a pre-regulator (supplied by the car battery), deliver 1.2 V with Buck1, 2 V with Buck3, 1.8 V with Buck4, 5 V with the boost, 1.3 V with the Ldo and 3.3 V with Vref .

Product status link

[EVAL-L5965](#)

Product summary

Order code	Reference
EVAL-L5965	EVAL-L5965 evaluation board

Revision history

Table 1. Document revision history

Date	Version	Changes
14-Jun-2019	1	Initial release.

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to www.st.com/trademarks. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2019 STMicroelectronics – All rights reserved