

## Han Guiding Dummy module, male



| Part number        | 09 14 003 3050                      |
|--------------------|-------------------------------------|
| Specification      | Han Guiding Dummy module, male      |
| HARTING eCatalogue | https://b2b.harting.com/09140033050 |

Image is for illustration purposes only. Please refer to product description.

**REACH ANNEX XIV substances** 

| Identification                            |                                 |
|---|---------------------------------|
| Category                                  | Modules                         |
| Series                                    | Han-Modular <sup>®</sup>        |
| Type of module                            | Han <sup>®</sup> Guiding module |
| Size of the module                        | Single module                   |
| Description of the module                 | Dummy module                    |
| Version                                   |                                 |
| Gender                                    | Male                            |
| Gender                                    | Male                            |
| Technical characteristics                 |                                 |
| Limiting temperature                      | -40 +125 °C                     |
| Mating cycles                             | ≥500                            |
| Lock-in range                             | ±4 mm                           |
| Material properties                       |                                 |
| Material (insert)                         | Polycarbonate (PC)              |
| Colour (insert)                           | RAL 9005 (jet black)            |
| Material flammability class acc. to UL 94 | V-0                             |
| RoHS                                      | compliant                       |
| ELV status                                | compliant                       |
| China RoHS                                | e                               |
| REACH Annex XVII substances               | Not contained                   |

Page 1 / 2 | Creation date 2023-02-02 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany

Not contained



## Material properties

| REACH SVHC substances                | Not contained                |
|--------------------------------------|------------------------------|
| California Proposition 65 substances | Not contained                |
| Fire protection on railway vehicles  | EN 45545-2 (2020-08)         |
| Requirement set with Hazard Levels   | R22 (HL 1-3)<br>R23 (HL 1-3) |

## Specifications and approvals

| Specifications                 | IEC 60664-1<br>IEC 61984         |
|--------------------------------|----------------------------------|
| Commercial data                |                                  |
| Packaging size                 | 2                                |
| Net weight                     | 13 g                             |
| Country of origin              | China                            |
| European customs tariff number | 85389099                         |
| GTIN                           | 5713140184671                    |
| eCl@ss                         | 27440392 Connector (accessories) |

Page 2 / 2 | Creation date 2023-02-02 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany