



Cross-connector, No. of poles: 4, Mounting type: Can be screwed on, Width: 30.3 mm, Rated cross-section: 10 mm<sup>2</sup>, Colour: natural

### **Business data**

Article number	2062.0
Article name	Q 4
GTIN (EAN)	4044211048686
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	11.25 g
Weight per piece (including packaging)	11.26 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Product description	Cross-connector
Colour	Natural



### **Technical data**

Dimensions	
Length	6 mm
Width	30.3 mm
Hole diameter	3.4 mm
Hole spacing (mid-point to mid-point)	8.1 mm
Pitch size	8 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	400 V
Rated current	47 A
Rated cross-section	10 mm <sup>2</sup>
Contamination degree	3
Connection data	
No. of poles	4
Screw head	Slotted
Screw threading	M 3
Tightening torque, min.	0.5 Nm
Tightening torque, max.	1 Nm
Materials	
Material	Brass
Surface	Nickel
Surface screw	Galvanized
Further technical data	
Mounting type	Screwable
Number of bridged terminals	4



### **Technical data**

Environmental Product Compliance		
REACH Conform	No	
REACH Reference date	2023-01-17	
REACH Candidate Substance Note	No	
REACH CAS 1 Substance	LEAD	
REACH CAS 1 Percent minimal	0.1 %	
REACH CAS 1 Percent maximum	4 %	
REACH CAS 1 Number	7439-92-1	
RoHS Conform	yes	
RoHS Exception rule	6c	

### *CONTACLIP*

### Media





### Accessories

#### Screwdriver

	Screwdriver with bare blade, Colour: Black-grey				
- Connexe -	Article number	Article name	GTIN (EAN)	Packaging unit	
	1086.0	SDB 0,6x3,5	4044211014797	1 ST	