



Insulated cross-connector, No. of poles: 20, Mounting type: Plug in, Width: 159.4 mm, Colour: Red

Business data

Article number	27161.9	
Article name	PQI 6/20 RD	
GTIN (EAN)	4044211225391	
Packaging unit	50	
Quantity unit	PC	
Weight per piece (not including packaging)	33.14 g	
Weight per piece (including packaging)	33.34 g	
Unit of weight	G	
Customs number	85389099	
Country of origin	DE	
Prio-Article	27161.9	
Product description	Insulated cross-connector	

Data sheet 27161.9 PQI 6/20 RD



Technical data

Dimensions	
Length	4 mm
Width	159.4 mm
Height	22.5 mm
Pitch size	8.1 mm
Ratings	
Max. voltage	800 V
Rated current	41 A
Current load, max.	41 A
Rated cross-section	6 mm²
Contamination degree	3
Connection data	
No. of poles	20
Materials	
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	20
Environmental Product Compliance	
REACH Conform	yes
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet 27161.9 PQI 6/20 RD

Media



Data sheet 27161.9 PQI 6/20 RD

ZCONTACLIP

Accessories

##INVERSE##CONTA-CONNECT

	Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm ² , Width: 8.1 mm, Colour: Green-yellow					
	Article number	Article name	GTIN (EAN)	Packaging unit		
	27021.2	PSL 6/3A GNYE	4044211223960	50 ST		
	Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm ² , Width: 8.1 mm, Colour: Green-yellow					
	Article number	Article name	GTIN (EAN)	Packaging unit		
	27023.2	PSL 6/4A GNYE	4044211224004	50 ST		
	Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm ² , Width: 8.1 mm, Colour: Green-yellow					
	Article number	Article name	GTIN (EAN)	Packaging unit		
	27019.2	PSL 6/2A GNYE	4044211223922	50 ST		
	Feed-through terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm ² , Width: 8.1 mm, Colour: Grey					
	Article number	Article name	GTIN (EAN)	Packaging unit		
	27018.6	PRK 6/2A GR	4044211223915	50		