


28140.7 PVC-TAP 15X32 WH



Device and installation marker, Length: 32 mm, Width: 15 mm, Colour: White

RAL: 9010

Business data

Article number	<u>28140.7</u>
Article name	PVC-TAP 15X32 WH
GTIN (EAN)	4044211213923
Packaging unit	525
Quantity unit	PC
Number of markers per card	21 ST
Weight per piece (not including packaging)	0.51 g
Weight per piece (including packaging)	0.51 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Product description	Device and installation marker
Colour	White

28140.7 PVC-TAP 15X32 WH

Technical data

Dimensions

Length	32 mm
--------	-------

Width	15 mm
-------	-------

Materials

Marker material	PVC
-----------------	-----

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-30 °C
---------------------------	--------

Working temperature, max.	60 °C
---------------------------	-------

Silicone-free	✓
---------------	---

Further technical data

Mounting	PS 15 Profil
----------	--------------

Software code	352
---------------	-----

Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Reference date	2023-01-17
----------------------	------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media

28140.7 PVC-TAP 15X32 WH

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST
