



Insulated cross-connector, No. of poles: 7, Mounting type: Plug in, Width: 34.6 mm, Rated cross-section: 2.5 mm², Colour: Red

Business data

Article number	<u>3715.9</u>
Article name	ZQI 2,5/7 RD
GTIN (EAN)	4044211111281
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	4 g
Weight per piece (including packaging)	4.1 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Prio-Article	3715.8
Product description	Insulated cross-connector



Technical data

Dimensions	
Length	4.5 mm
Width	34.6 mm
Pitch size	5 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	800 V
Rated current	24 A
Rated cross-section	2.5 mm ²
Contamination degree	3
Connection data	
No. of poles	7
Materials	
Material	Copper alloy
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	7
Environmental Product Compliance	
REACH Conform	yes
REACH Candidate Substance Note	No
RoHS Conform	yes

Media





Accessories

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige





Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3574.2	ZRKD 2,5/D5 BG	4044211059187	100 ST



##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour:Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3645.2	ZRKD 2,5/LED(RD)/230V AC BG	4044211146733	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3570.2</u>	ZRKD 2,5/D1 BG	4044211059149	100

0.00

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3571.2	ZRKD 2,5/D2 BG	4044211059156	100

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17481.2	ZST 2,5/1/1A/Q BG	4044211205201	50 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 66.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17493.2	ZST 2,5/13/1A/Q BG	4044211205324	10 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 71.4 mm, Colour: Beige

2	Article number	Article name	GTIN (EAN)	Packaging unit
	17494.2	ZST 2,5/14/1A/Q BG	4044211205331	10 ST



##INVERSE##CONTA-CONNECT

	•	terminal, Tension-spring connect cross-section: 2.5 mm ² , Width: 5.	0,11	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3653.2	ZRKS 2,5/2A/2S BG	4044211177683	100
	•	terminal, Tension-spring connect cross-section: 2.5 mm², Width: 5.	0,11	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3652.2	ZRKS 2,5/2A/1S BG	4044211177676	100
	•	terminal, Plug-in connection, Mou , Colour: Beige	unting type: Mounting rail ٦	rs 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3655.2	ZRKS 2,5/2S BG	4044211177706	100
	Feed-through section: 2.5 m	m ² , Width: 25.5 mm, Colour: Beig	• • • •	,
)	section: 2.5 m	m², Width: 25.5 mm, Colour: Beig Article name	• • • •	Packaging unit 50 ST
	Section: 2.5 mi Article number <u>17485.2</u> Feed-through	m ² , Width: 25.5 mm, Colour: Beig	ge GTIN (EAN) 4044211205249 ion, Mounting type: Plug ir	Packaging unit 50 ST
)O	Section: 2.5 mi Article number <u>17485.2</u> Feed-through	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connect	ge GTIN (EAN) 4044211205249 ion, Mounting type: Plug ir	Packaging unit 50 ST
)O	Section: 2.5 mi Article number <u>17485.2</u> Feed-through section: 2.5 mi	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connect m², Width: 56.1 mm, Colour: Beig	ge GTIN (EAN) 4044211205249 ion, Mounting type: Plug ir ge	Packaging unit 50 ST n, Rated cross Packaging
	Section: 2.5 mi Article number <u>17485.2</u> Feed-through section: 2.5 mi Article number <u>17491.2</u> Feed-through	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connect m², Width: 56.1 mm, Colour: Beig Article name	ge GTIN (EAN) 4044211205249 ion, Mounting type: Plug in ge GTIN (EAN) 4044211205300 ion, Mounting type: Plug in	Packaging unit 50 ST n, Rated cross Packaging unit 10 ST
	Section: 2.5 mi Article number <u>17485.2</u> Feed-through section: 2.5 mi Article number <u>17491.2</u> Feed-through	m ² , Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connect m ² , Width: 56.1 mm, Colour: Beig Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connect	ge GTIN (EAN) 4044211205249 ion, Mounting type: Plug in ge GTIN (EAN) 4044211205300 ion, Mounting type: Plug in	Packaging unit 50 ST n, Rated cross Packaging unit 10 ST
	Section: 2.5 mi Article number 17485.2 Feed-through section: 2.5 mi Article number 17491.2 Feed-through section: 2.5 mi	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connect m², Width: 56.1 mm, Colour: Beig Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connect m², Width: 76.5 mm, Colour: Beig	ge GTIN (EAN) 4044211205249 ion, Mounting type: Plug in ge GTIN (EAN) 4044211205300 ion, Mounting type: Plug in ge	Packaging unit 50 ST a, Rated cross Packaging unit 10 ST a, Rated cross Packaging
	Section: 2.5 mi Article number 17485.2 Feed-through section: 2.5 mi Article number 17491.2 Feed-through section: 2.5 mi Article number 17495.2 Feed-through	m², Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connect m², Width: 56.1 mm, Colour: Beig Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connect m², Width: 76.5 mm, Colour: Beig Article name	GTIN (EAN) 4044211205249 ion, Mounting type: Plug ir ge GTIN (EAN) 4044211205300 ion, Mounting type: Plug ir ge GTIN (EAN) 4044211205348 ion, Mounting type: Plug ir	Packaging unit 50 ST a, Rated cross Packaging unit 10 ST a, Rated cross Packaging unit 10 ST
	Section: 2.5 mi Article number 17485.2 Feed-through section: 2.5 mi Article number 17491.2 Feed-through section: 2.5 mi Article number 17495.2 Feed-through	m ² , Width: 25.5 mm, Colour: Beig Article name ZST 2,5/5/1A/Q BG terminal, Tension-spring connect m ² , Width: 56.1 mm, Colour: Beig Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connect m ² , Width: 76.5 mm, Colour: Beig Article name ZST 2,5/15/1A/Q BG terminal, Tension-spring connect	GTIN (EAN) 4044211205249 ion, Mounting type: Plug ir ge GTIN (EAN) 4044211205300 ion, Mounting type: Plug ir ge GTIN (EAN) 4044211205348 ion, Mounting type: Plug ir	Packaging unit 50 ST a, Rated cross Packaging unit 10 ST a, Rated cross Packaging unit 10 ST



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging unit
	3650.2	ZRKS 2,5/1A/1S BG	4044211177652	100
	•	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	• • • •	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3651.2	ZRKS 2,5/1A/2S BG	4044211177669	100
∣ ∕ EMA	•	terminal, Tension-spring conne m², Width: 45.9 mm, Colour: Bo	• • • • •	n, Rated cross
I\EUR	Article number	Article name	GTIN (EAN)	Packaging unit
	17489.2	ZST 2,5/9/1A/Q BG	4044211205287	25 ST
	Feed-through	terminal, Tension-spring conne	ection, Mountina type: Plua ir	n, Rated cross
K ema eur	•	terminal, Tension-spring conne m², Width: 51 mm, Colour: Beig Article name	• • • • •	n, Rated cross Packaging unit
Kema eur	section: 2.5 m	m², Width: 51 mm, Colour: Beig	ge	Packaging
KEMA EUR	section: 2.5 m Article number <u>17490.2</u> Feed-through	m², Width: 51 mm, Colour: Beig Article name	ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug ir	Packaging unit 25 ST
Kema Eur	section: 2.5 m Article number <u>17490.2</u> Feed-through	m², Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne	ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug ir	Packaging unit 25 ST
KEMA Eur	section: 2.5 m Article number <u>17490.2</u> Feed-through section: 2.5 m	m², Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m², Width: 5.1 mm, Colour: Bei	ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug ir ge	Packaging unit 25 ST n, Rated cross Packaging
K E MA E U R	section: 2.5 m Article number <u>17490.2</u> Feed-through section: 2.5 m Article number <u>3673.2</u> Feed-through	m², Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m², Width: 5.1 mm, Colour: Bei Article name	GTIN (EAN) 4044211205294 ection, Mounting type: Plug ir ge GTIN (EAN) 4044211177843 ection, Mounting type: Plug ir	Packaging unit 25 ST n, Rated cross Packaging unit 100
KEMA	section: 2.5 m Article number <u>17490.2</u> Feed-through section: 2.5 m Article number <u>3673.2</u> Feed-through	m ² , Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m ² , Width: 5.1 mm, Colour: Bei Article name ZST 2,5/1A/Q/Z BG terminal, Tension-spring conne	GTIN (EAN) 4044211205294 ection, Mounting type: Plug ir ge GTIN (EAN) 4044211177843 ection, Mounting type: Plug ir	Packaging unit 25 ST n, Rated cross Packaging unit 100

K EMA EUR	Article number	Article name	GTIN (EAN)	Packaging unit
	17487.2	ZST 2,5/7/1A/Q BG	4044211205263	25 ST



	•	terminal, Plug-in connection, Mount , Colour: Beige	ting type: Mounting rail	TS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3654.2	ZRKS 2,5/4S BG	4044211177690	100
R	0	terminal, Tension-spring connectior m², Width: 10.2 mm, Colour: Beige	n, Mounting type: Plug ir	n, Rated cross
	Article number	Article name	GTIN (EAN)	Packaging unit
0 00	17482.2	ZST 2,5/2/1A/Q BG	4044211205218	50 ST
∣ ∕ EMA	•	terminal, Tension-spring connectior m², Width: 15.3 mm, Colour: Beige	n, Mounting type: Plug ir	n, Rated cross
Í \ E U R	Article number	Article name	GTIN (EAN)	Packaging unit
	17483.2	ZST 2,5/3/1A/Q BG	4044211205225	50 ST
rnr	•	terminal, Tension-spring connectior m², Width: 40.8 mm, Colour: Beige	.,	.,
EHC	Article number	Article name	GTIN (EAN)	Packaging unit
tHL	Article number	Article name ZST 2,5/8/1A/Q BG	GTIN (EAN) 4044211205270	
	17488.2 Feed-through		4044211205270	unit 25 ST
	17488.2 Feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection	4044211205270	unit 25 ST
	17488.2 Feed-through section: 2.5 m	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige	4044211205270	unit 25 ST n, Rated cross Packaging
	17488.2 Feed-through is section: 2.5 min Article number 17492.2 Feed-through is	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name	4044211205270 n, Mounting type: Plug ir GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross Packaging unit 10 ST
	17488.2 Feed-through is section: 2.5 min Article number 17492.2 Feed-through is	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection	4044211205270 n, Mounting type: Plug ir GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross Packaging unit 10 ST
	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 million	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige	4044211205270 n, Mounting type: Plug in GTIN (EAN) 4044211205317 n, Mounting type: Plug in	unit 25 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging
	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 millionArticle number3672.2Feed-through feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name	4044211205270 n, Mounting type: Plug in GTIN (EAN) 4044211205317 n, Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 100
	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 millionArticle number3672.2Feed-through feed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1A/Q BG terminal, Tension-spring connection	4044211205270 n, Mounting type: Plug in GTIN (EAN) 4044211205317 n, Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 100



	gh terminal for direct mount, ATEX-c : Mounting surface, Rated cross-sec		
Article number	Article name	GTIN (EAN)	Packaging unit
1729.2	ZSRK 2,5/2A-D Ex BG	4044211129699	100 ST
•	terminal for direct mount, Tension-s ace, Rated cross-section: 2.5 mm ² , V		• • •
Article number	Article name	GTIN (EAN)	Packaging unit
3588.2	ZSRK 2,5/2A-D BG	4044211151966	100
•	terminal for direct mount, Tension-s ace, Rated cross-section: 2.5 mm ² , ¹		• • •
Article number	Article name	GTIN (EAN)	Packaging unit
3638.2	ZSLN 2,5/2A-D BKYE	4044211080570	100 ST
•	terminal for direct mount, Tension-s ace, Rated cross-section: 2.5 mm ² , V		Black-yellow
Article number	Article name	GTIN (EAN)	Packaging unit
3639.2	ZSLN 2,5/2A-RC BKYE	4044211080556	100 ST
•	terminal for direct mount, Tension-s ace, Rated cross-section: 2.5 mm ² , V		• • •
Article number	Article name	GTIN (EAN)	Packaging unit
3640.2	ZSLN 2,5/2A-D/F BKYE	4044211080563	50 ST
	terminal for direct mount, Tension-s ace, Rated cross-section: 2.5 mm ² , ¹		• • •
Article number	Article name	GTIN (EAN)	Packaging unit
3587.2	ZSRK 2,5/2A-RC BG	4044211151942	100




	Article number	Article name	GTIN (EAN)	Packaging unit
	3595.2	ZSRK 2,5/2A/D/F BG	4044211059545	50
		ect terminal, Tension-spring co cross-section: 2.5 mm², Width:	÷	unting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3616.2	ZTRK 2,5/2A/ZS BG	4044211059804	100
		ect terminal, Tension-spring co cross-section: 2.5 mm², Width:	0,11	unting rail TS
MALE IN	Article number	Article name	GTIN (EAN)	Packaging unit
	3621.2	ZTRK 2,5/3A/ZS BG	4044211059859	100
	Fuse-disconne	ZTRK 2,5/3A/ZS BG ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name	nnection, Mounting type: Mo	unting rail TS
	Fuse-disconne 35/7.5, Rated	ect terminal, Tension-spring co cross-section: 2.5 mm², Width:	nnection, Mounting type: Mo 5.1 mm, Colour: Beige	unting rail TS Packaging
	Fuse-disconne 35/7.5, Rated Article number <u>3626.2</u> Disconnect-bla	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903	unting rail TS Packaging unit 100
	Fuse-disconne 35/7.5, Rated Article number 3626.2 Disconnect-bla 35/7.5, Rated	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width:	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 Donnection, Mounting type: Mo 5.1 mm, Colour: Beige	unting rail TS Packaging unit 100 Dunting rail TS Packaging
	Fuse-disconne 35/7.5, Rated Article number 3626.2 Disconnect-bla 35/7.5, Rated Article number 3605.2 Basic terminal	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 connection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059699	unting rail TS Packaging unit 100 Dunting rail TS Packaging unit 100
	Fuse-disconne 35/7.5, Rated Article number 3626.2 Disconnect-bla 35/7.5, Rated Article number 3605.2 Basic terminal	ect terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/ZS BG ade terminal, Tension-spring co cross-section: 2.5 mm², Width: Article name ZTRK 2,5/4A/MT BG , Tension-spring connection, M	nnection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059903 connection, Mounting type: Mo 5.1 mm, Colour: Beige GTIN (EAN) 4044211059699	unting rail TS Packaging unit 100 Dunting rail TS Packaging unit 100



	type: Mounting	rail TS 35/7.5, Rated cross-se	ection: 2.5 mm ² , Width: 5.1 n	nm, Colour:Beig
	Article number	Article name	GTIN (EAN)	Packaging unit
	3590.2	ZIKD 2,5 BG	4044211059460	50
and		tiator terminal Multi-wire termi g rail TS 35/7.5, Rated cross-se		-
	Article number	Article name	GTIN (EAN)	Packaging unit
	3592.2	ZIKD 2,5/PE/L/L BG	4044211059507	50
all marked		tiator terminal Multi-wire termi g rail TS 35/7.5, Rated cross-se		•
	Article number	Article name	GTIN (EAN)	Packaging unit
	3594.2	ZIKD 2,5/PE/L/N BG	4044211059538	50 ST
		ade terminal, Tension-spring co cross-section: 2.5 mm², Width:	• • • •	ounting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3603.2	ZTRK 2,5/2A/MT BG	4044211059675	100
		ade terminal, Tension-spring co cross-section: 2.5 mm², Width:	• • • •	ounting rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3604.2	ZTRK 2,5/3A/MT BG	4044211059682	100
		, Tension-spring connection, M 2.5 mm², Width: 5.1 mm, Colou	• • • •	rS 35/7.5, Rate
	Article number	Article name	GTIN (EAN)	Packaging unit



##INVERSE##CONTA-CONNECT





Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3591.2	ZIKD 2,5/SV BG	4044211059484	50



##INVERSE##CONTA-CONNECT

00		el terminal ATEX-certified, Tensic S 35/7.5, Rated cross-section: 2		
	Article number	Article name	GTIN (EAN)	Packaging unit
	1707.2	ZRKD 2,5 Ex BG	4044211110949	100
		erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5.	• • • •	ng rail TS
0	Article number	Article name	GTIN (EAN)	Packaging unit
	3562.2	ZRKD 2,5 BG	4044211151836	100
		erminal, Tension-spring connection cross-section: 2.5 mm ² , Width: 5.	÷ · ·	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3563.2	ZRKD 2,5/SV BG	4044211059064	100
	Davida la cal (
		cross-section: 2.5 mm ² , Width: 5.	on, Mounting type: Mountin 1 mm, Colour: Beige	ng rail TS
			• • • •	ng rail TS Packaging unit
	35/7.5, Rated	cross-section: 2.5 mm ² , Width: 5.	1 mm, Colour: Beige	Packaging
	35/7.5, Rated Article number <u>3565.2</u> Double-level te	cross-section: 2.5 mm ² , Width: 5.	1 mm, Colour: Beige GTIN (EAN) 4044211059095 on, Mounting type: Mountir	Packaging unit 100 ST
	35/7.5, Rated Article number <u>3565.2</u> Double-level te	cross-section: 2.5 mm ² , Width: 5. Article name ZRKD 2,5/DU/PE erminal, Tension-spring connection	1 mm, Colour: Beige GTIN (EAN) 4044211059095 on, Mounting type: Mountir	Packaging unit 100 ST
	35/7.5, Rated Article number <u>3565.2</u> Double-level to 35/7.5, Rated	cross-section: 2.5 mm², Width: 5. Article name ZRKD 2,5/DU/PE erminal, Tension-spring connection cross-section: 2.5 mm², Width: 5.	1 mm, Colour: Beige GTIN (EAN) 4044211059095 on, Mounting type: Mountin 1 mm, Colour: Beige	Packaging unit 100 ST ng rail TS Packaging
	35/7.5, Rated Article number <u>3565.2</u> Double-level te 35/7.5, Rated Article number <u>3576.2</u> Double-level te	cross-section: 2.5 mm², Width: 5. Article name ZRKD 2,5/DU/PE erminal, Tension-spring connection cross-section: 2.5 mm², Width: 5. Article name	1 mm, Colour: Beige GTIN (EAN) 4044211059095 on, Mounting type: Mountin 1 mm, Colour: Beige GTIN (EAN) 4044211059217 on, Mounting type: Mountin	Packaging unit 100 ST ng rail TS Packaging unit 100
	35/7.5, Rated Article number <u>3565.2</u> Double-level te 35/7.5, Rated Article number <u>3576.2</u> Double-level te	cross-section: 2.5 mm², Width: 5. Article name ZRKD 2,5/DU/PE erminal, Tension-spring connection cross-section: 2.5 mm², Width: 5. Article name ZRKD 2,5/SV/ZBA BG erminal, Tension-spring connection	1 mm, Colour: Beige GTIN (EAN) 4044211059095 on, Mounting type: Mountin 1 mm, Colour: Beige GTIN (EAN) 4044211059217 on, Mounting type: Mountin	Packaging unit 100 ST ng rail TS Packaging unit 100

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3578.2	ZRKD 2,5/DU/PE/ZBA	4044211059248	100 ST



	Article number	Article name	GTIN (EAN)	Packaging unit
	3579.2	ZRKD 2,5/N/PE/ZBA	4044211059255	100 ST
		gh terminal ATEX-certified, Ten IS 35/7.5, Rated cross-section		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	1704.2	ZRK 2,5/2A Ex BG	4044211058401	100
	•	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	• • • •	
	Article number	Article name	GTIN (EAN)	Packaging unit
	0504.0		4044211151600	100
	•	ZRK 2,5/3A BG terminal, Tension-spring conne	• • • •	
EHC	Feed-through		ection, Mounting type: Mount	ing rail TS
EAC	Feed-through 35/7.5, Rated	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	ection, Mounting type: Mount 5.1 mm, Colour: Beige	ing rail TS Packaging
ERC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name	ection, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou	ing rail TS Packaging unit 100 unting type:
EHC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten	ection, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou	ing rail TS Packaging unit 100 unting type:
EHC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section	ection, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	ing rail TS Packaging unit 100 unting type: olour: Beige Packaging
EHC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail T Article number 1700.2 Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section Article name	ection, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	ing rail TS Packaging unit 100 Unting type: olour: Beige Packaging unit 100 Unting type:
ERC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail T Article number 1700.2 Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section Article name ZSRK 2,5/2A/15 Ex BG	ection, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	ing rail TS Packaging unit 100 Unting type: olour: Beige Packaging unit 100 Unting type:

Article number	Article name	GTIN (EAN)	Packaging unit
1705.2	ZRK 2,5/3A Ex BG	4044211110925	100



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging	
	3500.2	ZRK 2,5/2A BG	4044211151683	unit 100	
	•	terminal, Tension-spring connector cross-section: 2.5 mm², Width:	C F 1	ing rail TS	
	Article number	Article name	GTIN (EAN)	Packaging unit	
-	3583.2	ZSRK 2,5/2A BG	4044211151874	100	
-0-0-	•	Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3585.2	ZSRK 2,5/2A/15 BG	4044211151904	400	
		2011((2,0)2) (10 20	4044211131904	100	
	Ex feed-throug	gh terminal ATEX-certified, Tens S 35/7.5, Rated cross-section:	sion-spring connection, Mou	inting type:	
S-CLA	Ex feed-throug	h terminal ATEX-certified, Tens	sion-spring connection, Mou	nting type: olour: Beige	
	Ex feed-throug Mounting rail 1	h terminal ATEX-certified, Tens S 35/7.5, Rated cross-section:	sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co	inting type: olour: Beige Packaging	
	Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug	gh terminal ATEX-certified, Tens S 35/7.5, Rated cross-section: Article name	sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 sion-spring connection, Mou	Inting type: olour: Beige Packaging unit 100	
	Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug	gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Tens	sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 sion-spring connection, Mou	Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige	
	Ex feed-throug Mounting rail T Article number <u>1703.2</u> Ex feed-throug Mounting rail T	gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section:	sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co	Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging	
	Ex feed-throug Mounting rail 1 Article number 1703.2 Ex feed-throug Mounting rail 1 Article number 1706.2 Feed-through	gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: Article name	sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211058463	Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100	
	Ex feed-throug Mounting rail 1 Article number 1703.2 Ex feed-throug Mounting rail 1 Article number 1706.2 Feed-through	ch terminal ATEX-certified, Tens S 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG ch terminal ATEX-certified, Tens S 35/7.5, Rated cross-section: Article name ZRK 2,5/4A Ex BG terminal, Tension-spring connect	sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211058463	Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100	

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1701.2	ZSRK 2,5/3A/15 Ex BG	4044211059590	100



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3502.2	ZRK 2,5/4A BG	4044211151713	100



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3600.2	ZSRK 2,5/3A BG	4044211152031	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3645.2	ZRKD 2,5/LED(RD)/230V AC BG	4044211146733	100 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



##INVERSE##CONTA-CONNECT

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour:Beige			
Article number	Article name	GTIN (EAN)	Packaging unit
3570.2	ZRKD 2,5/D1 BG	4044211059149	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3571.2	ZRKD 2,5/D2 BG	4044211059156	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100